

Please place  
postage stamp  
here.

Hycraft Register  
PO Box 93  
Geelong Vic 3220

WE WORK WONDERS IN WOOL

### **HYCRAFT** Contact Details:

For any information about your Hycraft carpet or any assistance in respect to carpet care or guarantee please contact:

#### **HYCRAFT CUSTOMER SERVICE**

**PO Box 93  
GEELONG VIC 3220**

Email: [general.enquiries@godfreyhirst.com](mailto:general.enquiries@godfreyhirst.com)

Freecall: 1800 630 401

[www.godfreyhirst.com](http://www.godfreyhirst.com)

Hycraft is proudly manufactured by Godfrey Hirst Australia Pty Ltd  
ABN 56 000 649 758




## CARPET MAINTENANCE AND GUARANTEES



# **HYCRAFT** (naturally)

Wool carpets for all seasons

Australian Edition



Hycraft Carpets proudly supports  
The Campaign for Wool



THE CAMPAIGN FOR WOOL  
Woolmark Woolmark Blend Carpets



**WOOLMARK** WOOLMARK  
CARPETS BLEND  
CARPETS

For more information, visit [www.campaignforwool.com.au](http://www.campaignforwool.com.au)

97796 0213





Hycraft Guarantee\* Registration

To help provide you with the best products and service, please fill out the below questionnaire. (Tick where applicable)

Customer Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
Suburb: \_\_\_\_\_ State: \_\_\_\_\_ Postcode: \_\_\_\_\_  
Date Purchased: \_\_\_\_\_ Date Installed: \_\_\_\_\_  
Carpet Name: \_\_\_\_\_ Colour Name: \_\_\_\_\_  
Metres Purchased: \_\_\_\_\_  
Retailer: \_\_\_\_\_ Salesperson: \_\_\_\_\_  
Suburb: \_\_\_\_\_ State: \_\_\_\_\_ Postcode: \_\_\_\_\_

For a full copy of the Godfrey Hirst privacy policies regarding use of personal details and information collected by Godfrey Hirst Carpets, please phone 1800 630 401 or refer to [www.godfreyhirst.com](http://www.godfreyhirst.com)  
\* For a full copy of the guarantee terms and conditions covered by this registration, please call 1800 630 401 or refer to the Hycraft Carpet Maintenance and Guarantee booklet.  
[www.godfreyhirst.com/hycraft.html](http://www.godfreyhirst.com/hycraft.html) Hycraft Carpets is a division of Godfrey Hirst Australia. Pty. Ltd.  
ABN 58 000 849 758

1. Why did you choose a Hycraft carpet?  
☐ Made of wool/natural fibre   ☐ Colour   ☐ ACCS/Woolmark ratings  
☐ Natural stain & soil resistant properties   ☐ Noise absorption  
☐ Naturally safe from slips, flames & falls   ☐ Softness  
☐ Natural thermal & humidity control   ☐ Fade resistance  
☐ Anti-static properties  
☐ Other \_\_\_\_\_

2. Where did you learn about Hycraft carpets?  
☐ Print media - magazines, newspapers etc   ☐ Internet   ☐ Retailer  
☐ Friend/Architect/Decorator/Referral  
☐ Other \_\_\_\_\_

3. Did the Woolmark label assist in your purchase decision? yes / no

4. This Hycraft carpet is being installed in:  
☐ One room   ☐ More than one room  
☐ Whole house including stairs & hallways where applicable  
☐ Other \_\_\_\_\_

5. How can Hycraft make it easier to purchase carpet?  
\_\_\_\_\_  
\_\_\_\_\_

97730-0408



**Carpet 3**

Hycraft Product Name:	
Colour Number:	
Colour Name:	
Price per Lineal Metre:	
Metres Purchased:	
Date of Purchase:	
Date of Installation:	

<b>Retailer:</b>	
Name:	
Address:	
Telephone:	
Salesperson:	
Signature:	

<b>Installer:</b>	
Name:	
Address:	
Telephone:	
Signature:	

15

Congratulations, you have just purchased a quality Hycraft wool carpet. Your choice of a Hycraft carpet assures you of an investment that will enhance the appearance and comfort of your home for many years to come.

This booklet explains how to keep your carpet's good looks as long as possible and exactly what is covered by our written guarantees.

Hycraft carpets are marketed throughout Australia and their guarantee information varies from product to product. Your Hycraft retailer should complete the information set out in the back of this guide and check the specific guarantee that applies to your carpet. To establish the correct guarantee for a particular product, check the guarantee label on the back of the retailer's carpet sample, or if in doubt, ask the store salesperson.

These booklets are freely available through your carpet retailer, our website [www.godfreyhirst.com](http://www.godfreyhirst.com) or by calling the Hycraft customer service centre on Freecall 1800 630 401. This way you can check the guarantees available on all Hycraft wool products prior to purchasing.



2

## Wool carpets for all seasons

Hycraft is a luxurious and versatile range of wool carpets for all seasons. Cooling for comfort through sultry summers and insulating for warmth during winter chills.

With a long standing tradition for quality and performance, Hycraft carpets are produced from premium wools.

Hycraft has over 130 gorgeous colours including neutral tones and bold highlights. All Hycraft carpets have a 15 Year Colourfast Guarantee\*, so you can be sure the colour of your new carpet is protected against fading.

Natural stain resistance, easy maintenance and the flame retardency of Hycraft's wool fibres make it a practical floor covering. Its excellent acoustic insulation creates a quiet, relaxing indoor environment.

All Hycraft carpets are Woolmark or Woolmark Blend labelled for quality assurance, having been subjected to twenty-four stringent performance tests specified by The Woolmark Company.

No matter what style of home, from classic to modern, there's a Hycraft wool carpet to suit your décor. For diverse styles, luxurious comfort and superior durability in fine wool carpets, Hycraft is the natural choice.

\*Terms and conditions apply - See page 10 for details.



## Caring For Your Hycraft Carpet

No carpet lasts forever, but with regular care you can add years to the life of your new Hycraft wool carpet. Here are some simple guidelines to ensure you protect your investment.

### Regular Vacuuming

Thorough and frequent vacuuming, particularly in high traffic areas, is important for prolonging the life of your Hycraft carpet and also assisting to enhance its appearance.

After your carpet is laid, vacuum to remove surface lint, dust and fluff. Thereafter, continue to vacuum thoroughly at least weekly and more frequently in high traffic areas. This will remove soil and grit before it works its way below the pile surface, where it is far more difficult to remove and can abrade the carpet and dull its appearance.

Three vacuum passes for light soiled areas is recommended, with five to seven passes for heavily soiled areas. Vacuuming against the natural pile direction first lifts the pile, helping to unsettle and remove dirt and grit while reducing matting. Then, vacuum in the direction of the pile to achieve a uniform finish.

To effectively clean your carpet use only a quality vacuum cleaner. Vacuums fitted with micro filter systems ensure fine particles (such as dust mite allergens) are removed and stay in the collection bag or canister. This is particularly important if you are dust sensitive. A vacuum with a rotating brush which agitates the pile and loosens the soil is best for low cut pile carpet. To prevent excess fuzzing turn the brush off, or change the head when vacuuming loop pile, cut loop pile or berber carpet. Ensure the vacuum is kept in sound mechanical condition and brushes are cleaned and replaced when worn out.

Check and adjust the height of beaters (if fitted) regularly to ensure the carpet is not damaged by excessive beating. Vacuum cleaner efficiency can be considerably reduced when half full. Change or empty dust collection bags frequently and replace filters as recommended by the manufacturer.

### Spot Cleaning

Carpet is not 100% stain proof, but the natural resistance of Hycraft wool fibres provides you with time to act as liquid spills stay on top of the pile longer, rather than seep into the base of the pile and

backing. To ensure best results from spot cleaning, follow the easy steps on pages 5 and 6 of this booklet.

### Steam Cleaning

Depending on usage, your Hycraft carpet should be professionally steam cleaned (hot water extraction) every 12-18 months to revitalise your carpet and remove any oily, sticky and well-settled soils that cause gradual significant dulling of colours. Steam cleaning should only be undertaken by a professional carpet cleaner (who is a member of a professional association) in accordance with Australian/New Zealand Standard AS/NZS 3733:1995.

Shampooing, do-it-yourself steam cleaning or dry cleaning is not recommended.

### Other Ways To Protect Your Carpet

Place mats at all exterior doorways and entrances to carpeted areas to trap dirt and moisture from shoes. Clean mats regularly.

Use furniture cups and coasters and occasionally rearrange furniture to alleviate pressure marks. Plastic, slip free chair mats should be used under desk chairs with castors. Take care when moving furniture with wheels by placing a protective barrier between the wheels and the carpet.

Use scatter rugs or carpet protectors in high traffic areas and in front of chairs to protect carpet from localised and uneven wearing. Rugs should be cleaned regularly, at which time you should clean and restore the pile of the carpet underneath. Check rugs for colourfastness before placing them on carpet, as the colour in some rugs may bleed through. After cleaning, allow carpet to dry completely before replacing rugs.

Exercise caution with all bleaches, tile cleaners, mildew removers, oven cleaners, drain openers, plant food and the like. They are strong chemicals that can permanently discolour or dissolve carpet fibres.

Protect your carpet from prolonged periods of direct sunlight with curtains, blinds or awnings.

## Spot Cleaning Guide

Prompt and immediate attention to any spillages or stains is paramount to avoid the penetration of a stain into the carpet fibres. Liquids (particularly hot liquids) must be attended to immediately. If allowed to cool or dry, the stain will be almost impossible to remove. Care must be taken as haphazard attempts at spot removal can cause permanent stain setting, pile distortion and loss of colour.

### Basic Carpet Cleaning Steps:

1. Immediately remove as much of the spill as possible. For solids use a blunt knife or spoon. Blot up liquids by applying pressure with white paper towels or tissues. Use a wet/dry vacuum for large spills. NEVER scrub or rub the carpet during the stain removal (or rinsing) process as a fuzzy area may result. Always work from the outside of the stain or spillage towards the middle to avoid further spreading using a blotting or dabbing motion.
2. Determine the appropriate method of stain removal. See page 6 of this guide.
3. Pre-test any treatment on a small inconspicuous area of carpet to ensure against damage and possible colour change.

4. Ensure carpet is press dried with a clean white cloth or white paper towel between any step in the treatment process to remove excess moisture. Do not rub, as rubbing can alter the carpet's texture.

5. After the spill or stain has been treated, place several layers of white paper towel over the area and place a flat weight on them until dry. A hairdryer may be used to speed up the drying process but do NOT overheat the area. Do not walk on the carpet until dry.

**6. If stains fail to respond adequately to treatment, call a professional carpet cleaner immediately.**

Stains should be differentiated from soiling. Ensure that any residue from spills or cleaning mixtures are fully removed. For example, many sugar based spills, such as soft drinks and coffee, leave a sugar residue after removal. Similarly, when spills are cleaned with a detergent solution and the area is not sufficiently rinsed, a sticky detergent residue can remain. This sticky residue attracts soil from ordinary foot traffic and the resulting discolouration appears to be a stain. If so, repeat stain removal procedures above.






## Cleaning Treatments

**Common Household Food & Beverages** – Most common household food and beverage stains (not including stains containing strong dyes or substances which destroy or change the colour of carpet) need to be treated solely with warm, not hot, water immediately applied to the stained area. Repeat treatment above until no stain is evident on the cloth or towels used to press dry the area.

Should the stain remain, using a clean white cloth or sponge, treat with a mixture of 1 teaspoon of approved wool laundry detergent and one teaspoon of white vinegar in 1 litre of warm water. Rinse with warm water, repeating treatment until no stain is evident on cloth or towels.

**Other Substances** – It is important to identify the source of the stain to ensure use of the appropriate method of removal. Australian/New Zealand Standard AS/NZS 3733:1995 (available from Standards Australia offices in state capital cities) provides a comprehensive guide to cleaning practices and stain removal. Set out below are some general recommendations for removal of common substances. Supermarket cleaning products are not recommended.

*Removal of stains is not guaranteed. No responsibility is accepted by Hycraft for claims arising from any proposed treatments. If stains fail to respond to treatment, call a professional carpet cleaner immediately.*



Stain Type	Order of Treatment			Cleansing Agent/Treatment:
	Step 1	Step 2	Step 3	
Blood	1	2	8	1 Cold water 2 1 teaspoon mild laundry detergent approved for wool and one teaspoon of white vinegar in 1 litre of warm water
Chewing gum	3	2	8	
Coffee	2	8		3 Chill with aerosol freezing agent or ice cubes in a plastic bag. Pick or scrape off gum
Faeces	2	6	8	
Nail polish	4			4 Clear nail polish remover without lanolin
Paint (latex)	1	2		
Rust	5			5 Rust remover (to be applied by a professional carpet cleaner)
Soot	7			
Urine (fresh)	1	2	8	6 Clear household disinfectant
Urine (old)	2	8		
Vomit	2	6	8	7 Vacuum immediately. If any residue call a professional carpet cleaner
Wine (white)	2	8		
				8 Rinse with warm water

## Carpet Installation

All carpets should be laid and to obtain the benefit of the Hycraft guarantees set out later in the booklet must be laid, in accordance with AS/NZS 2455.1:2007 "Textile floor coverings – Installation practice – General" and the Hycraft Carpets Installation Recommendations (available at [www.godfreyhirst.com](http://www.godfreyhirst.com) or Freecall 1800 630 401) and should be installed using new underlay. Underlay and carpet is designed to work together as a complete flooring system and underlay should always be used. Quality underlay extends the life of your carpet, while providing better resilience and comfort.

Ask your retailer to match a quality underlay (compliant with the appropriate classification for the intended use/application as per AS 4288-2003 i.e. light residential, general, luxury, commercial or heavy commercial) with the quality and proposed use of your carpet.

Insist on trained professional tradespeople to install your carpet. Before making any cut from a roll, ensure your installer examines the carpet and checks for length, quality, pattern, colour and dyelot.

All carpets should be power stretched; otherwise bubbling and wrinkling may occur. Seam adhesive (sealer) must be used for all seams (widthwise and lengthwise).

If the seams are not permanently bonded together, the carpet may unravel and begin to break down at the edges, making it appear badly fitted and causing premature wear. Use a solvent base seam seal adhesive on direct glue down applications or a latex base seam seal adhesive for conventional installations. Seams are not covered by the Hycraft guarantees.

Carpet pile should run in the same direction throughout the house, sweeping towards the main entrance where possible. Seams and cross joins in the wrong place can spoil the appearance of your carpet and lead to premature wear. Generally seams should run in the same direction as most foot traffic. Seams should also be avoided in high traffic areas and be kept as far away from windows as possible so light does not fall across the seam making it more obvious. Ask the installer where they will place seams and cross joins.

On stairways the pile should sweep down. A little hidden extra carpet should be folded back at the top and bottom of stairs so as the edges of the tread are worn down, the carpet can be moved to hide the wear point. Purchasing extra carpet to update stairs is recommended.

Failure to have your carpet installed using the above guidelines may adversely affect the performance of your carpet.



## Carpet Characteristics

### Colour Variation

It is normal for installed carpet to show minor colour variation from selling samples or minor variations between production runs and dyelots. Our quality assurance program (Australian/New Zealand AS/NZS ISO 9001:2000 certified) seeks to minimise potential for variance and ensure any variation is within recognised textile industry standards.

Colour appearance can vary depending on the type of light under which a sample is viewed and the light sources where the carpet is installed. Viewing of the sample at your residence and under as many different light conditions as possible prior to making your final decision is recommended.

### Pile Reversal (Shading & Disturbance)

Light can play strange tricks with carpet. From certain angles particular areas appear lighter or darker than others. This is caused by disturbed pile reflecting the light differently in the affected areas. This is a feature characteristic of cut-pile carpets (particularly solid colour).

Temporary changes in appearance may be able to be removed or lessened by vacuuming or brushing of the pile.

However, in fine cut pile carpets, **permanent pile reversal** (shading, watermarking or puddling) can also occur and at times may become quite severe. Years of research and inquiry have failed to find a reason to explain the underlying cause such that it is considered a phenomenon related to the location of the carpet which cannot be predicted or prevented. It is not a manufacturing defect and apart from affecting appearance, has no detrimental effect on the performance of the carpet. As this characteristic can affect the appearance of a carpet, you are advised to discuss this with your retailer when considering your purchase. Further information on permanent pile reversal is also available from the Carpet Institute of Australia.

### Shift Lines

Shift lines are parallel lines appearing on the surface of patterned loop pile carpets at regular intervals, due to the nature of carpet construction. Lines may be more apparent with "large" designs or patterns. Colour, directional pile lay and light sources are also contributing factors. Certain light sources shining across the carpet may accentuate these lines in the

form of shadowing. This is not a manufacturing defect and will not affect the carpet's wear or durability.

### Design Characteristics

An effect known as phasing can occur where carpet design includes the random use of contrasting colours when at times these colours can coincide in production. Similarly in loop pile carpets, shading effects of colour patterning can appear as panelling down the length of the carpet. Both phasing and panelling are an accepted part of the design and in no way affect the performance of the carpet.

### Appearance Retention

All carpets will change in appearance over time, primarily due to foot traffic.

Matting generally occurs as a result of pile flattening together with the entanglement of fibres tuft to tuft. It occurs in all tufted carpets to some degree, but is more likely to occur in high traffic areas (eg. in front of seating areas, doorways etc). This may result in the loss of sharpness of the carpet pattern. Though induced by wear, it is often caused by underlay failure, improper maintenance, including inadequate vacuuming, or inappropriate or ineffective treatment of spots and spills. It is not considered a manufacturing fault unless it happens rapidly or to an unacceptable degree.

Fuzzing or blooming is caused due to the tips of the fibres in a cut pile carpet losing a degree of yarn twist over time. Most apparent in traffic areas or in front of chairs, this is normal and should be expected. Generally fuzzing can be corrected by shearing away the cobweb of fibres on the installed carpet, with use of a special machine.

### Shedding

Shedding is a normal characteristic of cut-pile carpets, particularly staple or spun yarn products. It is caused by some of the outside fibres of yarn bundles becoming detached during early carpet wear stages. Regular cleaning with a vacuum fitted with a beater bar will remove most of the loose fibres during the first year.



### Pattern Matching/Bowing & Skewing

Hycraft uses the best available techniques to minimise pattern distortion during manufacture. However some distortion due to shrinkage or stretch during and after manufacture is unavoidable. Repeating patterns may not precisely match along the length or width of carpet or from one production run to another. Installation methods and site and storage conditions can also contribute to instability in the pattern, such that perfect pattern match cannot be guaranteed.

Installation of patterned carpet requires more time and effort which should be considered in the original labour quotation. A competent carpet layer should be able to obtain a close pattern match in most circumstances. However some irregularities may still be visible. If concerned, please discuss further with your retailer and/or carpet layer.

All carpets are subject to some degree of bowing and/or skewing. Bowing of up to 40 mm over any single width of carpet is generally acceptable. Full details of the tolerances of Hycraft carpets are set out in the Hycraft Carpets Installation Recommendations (available at [www.godfreyhirst.com](http://www.godfreyhirst.com) or Freecall 1800 630 401).

### Wrinkling (or Rucking)

Wrinkling may occur after installation due to excessive humidity, inadequate underlay, or not using the recommended installation procedures, especially relative to power stretching. A competent installer can usually correct this problem.

### Fading

All Hycraft carpets meet Australian Carpet Classification Scheme (ACCS) standards for lightfastness. However, carpets like all other dyed textiles, will slowly lose colour over time when exposed to direct sunlight. Carpet should be protected from prolonged periods of direct sunlight with curtains, blinds, shades, or awnings and furniture moved periodically to expose all areas evenly.

Some quality wool carpets will upon initial exposure to light, undergo a rapid lightening/brightening over the first few weeks. This is an inherent phenomenon referred to as **first fade**.


Colour change can also occur as the result of ozone, emissions from heating fuels and air conditioners, pesticides, cleaning agents, benzol peroxide and other household items. Care should be taken when using these items. The occurrence, known as ozone damage, is largely unexplained, but appears to be more prevalent in coastal areas with a high ultra-violet content. Some colours are more susceptible than others. If you believe there may be a risk of ozone damage, please discuss your choice with your retailer.

It is not considered to be a manufacturing defect and does not effect the performance of the carpet.

### Missing or Damaged Tufts

Tufts may be damaged or identified as missing following stretching of the carpet during installation, damage caused by pets scratching, or the moving of furniture. In the case of loop pile carpets, tufts can be pulled from the backing resulting in long, lengthwise pulls out of the carpet.

Sprouts, or snagged tufts, can be easily trimmed without damaging the carpet and missing or damaged tufts can be easily replaced by hand or by retufting. These can be readily fixed onsite by a skilled installer or carpet professional. It is recommended a small piece of spare carpet be retained to provide a source of additional tufting yarn.



## Consumer Guarantees

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement and refund for a major failure and compensation for any other reasonable foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

## Hycraft Guarantees

The following guarantees are provided by Godfrey Hirst Australia Pty Ltd ABN 58 000 849 758 (Hycraft) in respect to its wool and wool blend carpets and the benefits given by them are in addition to other rights and remedies of the consumer under a law in relation to the goods. You can establish the specific guarantees applicable to a particular carpet by checking the labels on the back of the carpet samples or by asking the retailer.

The Hycraft guarantees are subject to and qualified by the “General Guarantee Conditions” (page 11) and “Homeowner Obligations” (page 12).

### Wear Guarantee

Hycraft guarantees that the surface pile of your Hycraft carpet will not abrasively wear more than 10% within the period set out in the wear guarantee label affixed to the sample, following the original installation (the percentage wear being determined by Hycraft after inspection and testing of the carpet).

Abrasive wear means actual fibre loss from the pile of the carpet and does not include other changes in carpet appearance: eg. matting (the loss of twist from the tips of pile and entanglement of the fibre), or crushing (the non-restorable loss of pile thickness due to foot traffic, a castor wheel or pressure of furniture).

### Lifetime Manufacturer’s Defect Guarantee

Hycraft is so confident as to its manufacturing process that your Hycraft carpet is guaranteed against all manufacturing defects for the life of the carpet.

### Colourfast Guarantee

Hycraft guarantees that for the period set out in the colourfast guarantee label affixed to the sample, following the original installation, your Hycraft carpet will not show a permanent colour change due to exposure to sunlight or atmospheric contaminants (including ozone or oxides of nitrogen) greater than three units as measured by the American Association of Textile Chemists and Colorists (AATCC) Gray Scale (which is an internationally recognised comparison system to determine the extent of colour differences). Colour changes of less than three units should not significantly impact upon the visual appearance of your carpet.

Any changes in carpet colour or fading or other discolouration resulting from first fade (see page 9 for a full explanation) or from other external causes such as spills of household chemicals and other non-food and non-beverage substances or chemical influences are excluded from this guarantee.

### Insect Resist Guarantee

Your Hycraft carpet has been treated to deter insect and moth infestation. The treatment does not stop insects from entering your home and moths/beetles in some areas have developed a tolerance to treatments. The insect deterrent treatment is embedded in the carpet fibre and needs to be ingested by the insect to have an effect and stop further spreading – such that some fibre loss may occur and good housekeeping is essential. Regular vacuuming along skirtings, under furniture and in corners will discourage insects and reveal any infestations at an early stage. If you believe there may be a minor infestation, you should thoroughly vacuum the area (spraying the contents of the vacuum cleaner with insecticide prior to disposal) and treat the infested area, extending 15cm beyond the boundaries of the activity, with an insecticidal aerosol spray or dust following the manufacturer’s directions and precautions.

Hycraft guarantees that, provided your carpet is maintained as set out above, your carpet will not show visible damage due to insects within the period set out in the insect resist guarantee label affixed to the sample following original installation.

### General Guarantee Conditions

These Hycraft guarantees apply only;

- In Australia;
- In respect of carpet purchased after 1 December 2012;
- To the original purchaser of the carpet;
- To carpet professionally installed over underlay in accordance with the installation recommendations set out in this booklet under "Carpet Installation" (page 7);
- To new, first quality carpet; and
- To carpet used in an owner-occupied single-family residential home, excluding where used in bathrooms, kitchens and utility areas such as laundries, wet areas and areas subject to significant non foot traffic.

The Hycraft guarantees immediately cease to apply if the home ceases to be an owner occupied, single family residence; for example, if the home is tenanted or used by more than one family. The Hycraft guarantees are not transferable.

Hycraft guarantees do not cover:

- Any non-residential or commercial applications of the carpet or tenancing of the premises in which the carpet has been installed.
- Any carpet installed on stairs (unless designated "suitable for stairs" on the ACCS label on the back of the sample), outdoors, in utility areas such as bathrooms, kitchens, laundries, wet areas or in areas subject to other than ordinary foot traffic.
- Damage due to improper installation (eg. wrinkling, tuft losses, seam peaking) or due to the failure or non usage of underlay.
- Damage caused by improper maintenance, application of improper cleaning agents, methods, mishaps (other than events specifically guaranteed) or damage caused by failing to carry out proper routine maintenance in accordance with the recommendations described in this booklet under "Caring for Your Carpet" (page 4).
- Damage caused by sporting equipment such as roller skates, golf shoes or gym equipment.
- Damage or appearance problems caused by wrapping carpet around nosing of stairs.
- Damage resulting from accidents (other than events specifically guaranteed), abuse (being any use considered unreasonable given the normal and expected use of carpet in an owner-occupied single-family residence), burning, flooding, cutting, pet damage (other than by domestic pet urine or faeces), or smoke.
- Damage caused by risks covered by a generally available home owner insurance policy.
- Damage caused by wetting or persistence of excessive moisture or exposure to very hot substances (other than most food or beverage spillages).
- Damage caused by use in excess of the recommendation/s made on the ACCS rating shown on the ACCS label on the back of the sample. The ACCS User Guide, explaining the recommendations, is available at [www.carpetinstitute.com.au/accs/index.htm](http://www.carpetinstitute.com.au/accs/index.htm).
- Carpet which has been treated after installation with any protective material.
- Damage caused by, or where the soil resistance, stain resistance and/or other attributes of the carpet are adversely affected by the application of any topical treatments (including fungicides, bactericides, biocides, anti-statics, stain resistance, some cleaning agents).



### What Hycraft will do if your carpet fails to perform:

If any part of your carpet fails to perform in accordance with any of these Hycraft guarantees Hycraft will offer you an allowance or a credit (to be redeemed through your original retailer or another retailer in your area nominated by Hycraft) against:

- The purchase price of Hycraft carpet which is the same or of comparable quality to replace the affected area of the carpet, extending to the nearest wall, doorway or entrance, and;
- The reasonable cost of its installation (but excluding the cost of underlay),

Calculated as follows:

#### 10 Year Guarantee

Year in which the claim is made, calculated from the date of purchase:	Percentage of original retail cost of your Hycraft carpet including installation but excluding underlay:
Years 1 to 3	100%
Years 4 to 5	70%
Years 6 to 7	40%
Years 8 to 9	20%
Year 10	10%

#### 15 Year/Lifetime Guarantees

Year in which the claim is made, calculated from the date of purchase:	Percentage of original retail cost of your Hycraft carpet including installation but excluding underlay:
Years 1 to 3	100%
Years 4 to 6	70%
Years 7 to 9	40%
Years 10 to 12	20%
Year 13 and over	10%

In relation to claims made under the Hycraft guarantees, Hycraft will not reimburse or pay for your time associated with making the claim, new underlay, the cost of cleaning, expert advice, obtaining quotations, moving or replacing furniture, equipment or fittings or the disposal of carpet, underlay or packaging.

### Homeowner Obligations

In addition to you complying with the other conditions which apply to the Hycraft guarantees, in order to obtain and maintain your coverage under the Hycraft guarantees, you must:

- Keep proof of purchase in the form of a receipt, bill, invoice or statement from the retailer, showing the price you paid for the carpet and the date of its purchase, together with proof of installation date.
- Have your carpet installed in accordance with Australian/New Zealand Standard AS/NZS 2455.1:2007 "Textile floor coverings – Installation practice – General" and otherwise in accordance with the guidelines set out in this booklet.
- Maintain your carpet with regular vacuuming and cleaning.

So Hycraft has a record of your purchase, you should complete the guarantee form attached to this booklet and return it to Hycraft within 30 days of the purchase of your Hycraft carpet.

### Making a Claim

Should you believe your carpet is failing to perform in accordance with these Hycraft guarantees or your Australian consumer law rights, please notify your retailer to arrange an on site inspection of the installation. Be sure to describe the specific problem and to include a copy of your proof of purchase. The retailer will take appropriate action, including the notification to Hycraft if necessary. You must bear your expenses of claiming under the Hycraft guarantees.

Should you be unable to contact your retailer, or if you do not get a satisfactory response from your retailer, please contact Hycraft directly. Our contact details are on the back of this booklet.





# Hycraft Purchase Record

Attach purchase  
receipt here

## Carpet 1

Hycraft Product Name:

Colour Number:

Colour Name:

Price per Lineal Metre:

Metres Purchased:

Date of Purchase:

Date of Installation:

## Carpet 2

Hycraft Product Name:

Colour Number:

Colour Name:

Price per Lineal Metre:

Metres Purchased:

Date of Purchase:

Date of Installation: