



Inspired by the beauty of natural timber, Hurford's latest collection Supacore has been precisely created by a team of interior experts.

Each design has been thoughtfully developed to appeal exclusively to the Australian market, with beautiful grain structures, warmth of colour and attention to detail.

Profile	Feature	Benefit
	Micro Bevel Edges	Micro bevel edges create a small V-shape between each board for an authentic look.
L	Core	Limestone composite core board with up to 75% limestone powder. Resulting in a stable core that has minimal expansion and contraction.
6.5	6.5mm Thickness	Each product is 6.5mm thick, providing extra soft and warm 6.5mm cushioning underfoot. 5mm plank + 1.5mm IXPE backing = 6.5mm overall.
Finish	Feature	Benefit
	Matte Finish	Boards with a matte finish reflect the natural look and feel of timber.
	Woodgrain	Boards have an authentic timber woodgrain look.
0.55mm	Wear Layer	A 0.55mm wear layer protects the surface of your vinyl plank flooring from everyday wear and tear.
<b>\$</b>	Waterproof	Spills won't damage Supacore flooring, and it can be safely damp mopped for easy cleaning.









BLACKBUTT

CARBON

CHESTNUT

FRENCH GREY









HARBOR GREY

KHAKI

SANDSTONE

SPOTTED GUM

# I FLOORCARE

We want your Supacore flooring to look its best for years to come, so here are some guidelines to help you achieve that:

### Day to Day

- Sweep or vacuum to remove loose dirt, grit or dust
- Use clean mops and natural cleaning solutions to regularly clean your floor
- Dilute the floor cleanser to manufacturers instructions
- Mop the floor evenly
- Collect excess liquid in a mop bucket
- Rinse the floor with clean water and allow to dry

#### Please do:

- Install mats at entrances to collect grit and moisture
- Fit furniture with protective pads to prevent scratches
- Remove spillages as quickly as possible to reduce risk
- Regularly trim pets claws

## **I** ACCESSORIES

**Scotia –** Matching scotia available per piece Size: 2400mm x 14mm x 28mm




### Please do not:

- Use abrasive liquids or metal scouring pads
- Clean the floor with solvents, washing up liquids, soap powders, bleach, furniture polish, petrol-based products, pine gels, stain removers
- Drag furniture with unprotected bottoms across the floor

**Stair Nosings –** Matching stair nosings available per piece

Size: 2400mm x 110mm x 30mm





# **COMMERCIAL SPECIFICATIONS**

### **Technical Data**

Type: Hybrid

Thickness: 5mm + backing (6.5mm overall)

Wear layer: 0.55mm

Dimensions: 1500 (L) x 180mm (W)

Planks per box: 6

 $M^2$  per box: 1.62 $m^2$   $M^2$  per pallet: 89.10 $m^2$  Colours: 8

Install Method: Drop Lock

Finish: Matte

Surface: Aus = embossed, oaks = EIR
Top layer: Decorative film & wear layer

Substrate layer: Limestone composite

Backing layer: 1.5mm IXPE
Profile: Micro bevel
Protective coating: UV coating

#### Performance

Dimensional stability: $\leq$  0.04mmAbrasion rating:Group TResidual indentation: $\leq$  0.03mmImpact sound reduction:IIC = 54Light fastness: $\geq$  6

Fire classification: Available on Request Slip resistance: Available on Request

Residential warranty: 25 Years\* Light commercial warranty: 10 Years\*

