

FOWLES AUCTIONS & SALES PTY LTD
2099 PRINCES HIGHWAY CLAYTON VICTORIA 3168
TELEPHONE (03) 9265 5555 FAX (03) 9265 5501

Wednesday 13 August 2025
TIMBER AUCTION
COMMENCING AT: 10:00 AM
* = Seller Not Registered For GST

Please Note:

Measurements, descriptions and quantities given in this catalogue are not guaranteed to be correct.
Goods are sold with faults (If any).

Lot	Description	Quantity	UOM
1	90X45 MGP10 BALTIC PINE-154/2.7	415.800	lm
2	90X45 MGP10 BALTIC PINE-165/2.7	445.500	lm
3	90X45 MGP10 BALTIC PINE-165/2.7	445.500	lm
4	90X45 MGP10 BALTIC PINE-176/2.7	475.200	lm
5	90X45 MGP10 BALTIC PINE-165/2.7	445.500	lm
6	90X45 MGP10 BALTIC PINE-165/2.7	445.500	lm
7	90X45 MGP10 BALTIC PINE-165/2.7	445.500	lm
8	90X45 MGP10 BALTIC PINE-165/2.7	445.500	lm
9	90X45 MGP10 BALTIC PINE-165/2.7	445.500	lm
10	140X45 MGP10 PINE-98/2.9	284.200	lm
11	90X45 MGP10 BALTIC PINE-165/3.0	495.000	lm
12	90X45 MGP10 BALTIC PINE-165/3.0	495.000	lm
13	90X35 MGP10 BALTIC PINE-77/3.0	231.000	lm
14	90X45 MGP10 BALTIC PINE-165/3.0	495.000	lm
15	90X45 MGP10 BALTIC PINE-165/3.0	495.000	lm
16	90X45 MGP10 BALTIC PINE-165/3.0	495.000	lm
17	90X45 MGP10 BALTIC PINE-165/3.0	495.000	lm
18	90X45 MGP10 BALTIC PINE-165/3.0	495.000	lm
19	90X45 MGP10 BALTIC PINE-165/2.7	445.500	lm
20	90X45 MGP10 BALTIC PINE-165/2.7	445.500	lm
21	90X45 MGP10 BALTIC PINE-165/2.7	445.500	lm
22	190X45 T3 GREEN MGP10 TREATED PINE-32/2.4	76.800	lm
23	190X45 T3 GREEN MGP10 TREATED PINE-32/2.4	76.800	lm
24	190X45 T3 GREEN MGP10 TREATED PINE-32/2.4	76.800	lm
25	190X45 T3 GREEN MGP10 TREATED PINE-32/2.4	76.800	lm
26	190X45 T3 GREEN MGP10 TREATED PINE-32/2.4	76.800	lm
27	240X45 T3 GREEN MGP10 TREATED PINE-24/2.4	57.600	lm
28	190X45 T3 GREEN MGP10 TREATED PINE-32/2.4	76.800	lm
29	190X45 T3 GREEN MGP10 TREATED PINE-32/2.4	76.800	lm
30	190X45 T3 GREEN MGP10 TREATED PINE-32/2.4	76.800	lm
31	190X45 T3 GREEN MGP10 TREATED PINE-32/2.4	76.800	lm
32	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
33	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
34	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
35	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
36	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
37	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
38	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
39	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
40	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
41	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
42	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
43	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
44	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm

45	190X45	T3	GREEN	MGP10	TREATED	PINE-	32/2.4	76.800	lm
46	190X45	T3	GREEN	MGP10	TREATED	PINE-	32/2.4	76.800	lm
47	190X45	T3	GREEN	MGP10	TREATED	PINE-	32/2.4	76.800	lm
48	190X45	T3	GREEN	MGP10	TREATED	PINE-	32/2.4	76.800	lm
49	190X45	T3	GREEN	MGP10	TREATED	PINE-	32/2.4	76.800	lm
50	190X45	T3	GREEN	MGP10	TREATED	PINE-	32/2.4	76.800	lm
51	190X45	T3	GREEN	MGP10	TREATED	PINE-	32/2.4	76.800	lm
52	190X45	T3	GREEN	MGP10	TREATED	PINE-	32/2.4	76.800	lm
53	190X45	T3	GREEN	MGP10	TREATED	PINE-	32/2.4	76.800	lm
54	190X45	T3	GREEN	MGP10	TREATED	PINE-	32/2.4	76.800	lm
55	190X45	T3	GREEN	MGP10	TREATED	PINE-	32/2.4	76.800	lm
56	190X45	T3	GREEN	MGP10	TREATED	PINE-	32/2.4	76.800	lm
57	TRTD	PINE	RHD	140X45	5.4M			216.000	lm
58	TRTD	PINE	RHD	140X45	5.4M			216.000	lm
59	TRTD	PINE	RHD	140X45	5.4M			216.000	lm
60	TRTD	PINE	RHD	90X45	5.4M			345.600	lm
61	TRTD	PINE	RHD	90X45	5.4M			345.600	lm
62	TRTD	PINE	RHD	140X45	5.4M			216.000	lm
63	TRTD	PINE	RHD	90X45	6.0M			384.000	lm
64	TRTD	PINE	RHD	90X45	6.0M			378.000	lm
65	TRTD	PINE	RHD	90X45	5.4M			340.200	lm
66	TRTD	PINE	RHD	90X45	5.4M			345.600	lm
67	TRTD	PINE	RHD	90X45	6.0M			384.000	lm
68	TRTD	PINE	RHD	90X45	6.0M			378.000	lm
69	TRTD	PINE	RHD	90X45	6.0M			384.000	lm
70	TRTD	PINE	RHD	90X45	6.0M			384.000	lm
71	TRTD	PINE	RHD	90X45	6.0M			384.000	lm
72	TRTD	PINE	RHD	140X45	5.4M			216.000	lm
73	TRTD	PINE	RHD	90X45	6.0M			384.000	lm
74	TRTD	PINE	RHD	90X45	6.0M			384.000	lm
75	90X45	MGP10	BALTIC	PINE-	165/3.6			594.000	lm
76	90X45	MGP10	BALTIC	PINE-	140/3.6			504.000	lm
77	90X45	MGP10	BALTIC	PINE-	150/3.6			540.000	lm
78	90X45	MGP10	BALTIC	PINE-	165/3.6			594.000	lm
79	90X45	MGP10	BALTIC	PINE-	165/3.6			594.000	lm
80	90X45	MGP10	BALTIC	PINE-	165/3.6			594.000	lm
81	90X45	MGP10	BALTIC	PINE-	220/3.6			792.000	lm
82	90X45	MGP10	BALTIC	PINE-	176/4.8			844.800	lm
83	90X45	MGP10	BALTIC	PINE-	176/4.8			844.800	lm
84	90X45	MGP10	BALTIC	PINE-	165/4.8			792.000	lm
85	90X45	MGP10	BALTIC	PINE-	165/4.8			792.000	lm
86	90X45	MGP10	BALTIC	PINE-	165/4.8			792.000	lm
87	90X45	MGP10	BALTIC	PINE-	165/4.8			792.000	lm
88	90X45	MGP10	BALTIC	PINE-	165/4.8			792.000	lm
89	240X45	T2	BLUE	F5	PINE-	33/4.8		158.400	lm
90	240X45	T2	BLUE	F5	PINE-	33/5.4		178.200	lm
91	240X45	T2	BLUE	F5	PINE-	33/5.4		178.200	lm
92	240X45	T2	BLUE	F5	PINE-	33/5.4		178.200	lm
93	240X45	T2	BLUE	F5	PINE-	33/5.4		178.200	lm
94	240X45	T2	BLUE	F5	PINE-	33/4.2		138.600	lm
95	240X45	T2	BLUE	F5	PINE-	33/4.2		138.600	lm
96	240X45	T2	BLUE	F5	PINE-	33/4.2		138.600	lm
97	240X45	T2	BLUE	F5	PINE-	33/5.4		178.200	lm
98	240X45	T2	BLUE	F5	PINE-	33/5.4		178.200	lm
99	240X45	T2	BLUE	F5	PINE-	33/3.6		118.800	lm
100	240X45	T2	BLUE	F5	PINE-	33/3.6		118.800	lm
101	240X45	T2	BLUE	F5	PINE-	33/4.2		138.600	lm
102	240X45	T2	BLUE	F5	PINE-	33/5.4		178.200	lm
103	240X45	T2	BLUE	F5	PINE-	33/4.2		138.600	lm

104	240X45 T2 BLUE F5 PINE-33/4.8	158.400	lm
105	240X45 T2 BLUE F5 PINE-33/4.8	158.400	lm
106	240X45 T2 BLUE F5 PINE-33/4.8	158.400	lm
107	90X45 MGP10 BALTIC PINE-144/2.4	345.600	lm
108	90X45 MGP10 BALTIC PINE-144/2.4	345.600	lm
109	90X45 MGP10 BALTIC PINE-144/2.4	345.600	lm
110	300X45 H2S I- JOISTS-39/1.8	70.200	lm
111	300X45 H2S I- JOISTS-39/1.8	70.200	lm
112	90X45 F5 PINE-112/2.7	302.400	lm
113	90X45 F5 PINE-112/2.7	302.400	lm
114	90X45 F5 PINE-112/2.7	302.400	lm
115	90X45 F5 PINE-112/2.7	302.400	lm
116	90X45 F5 PINE-111/2.7	299.700	lm
117	90X45 F5 PINE-112/2.7	302.400	lm
118	300X45 H2S I- JOISTS-39/2.1	81.900	lm
119	300X45 H2S I- JOISTS-39/2.1	81.900	lm
120	300X45 H2S I- JOISTS-39/2.1	81.900	lm
121	300X45 H2S I- JOISTS-39/1.8	70.200	lm
122	300X45 H2S I- JOISTS-39/2.1	81.900	lm
123	300X45 H2S I- JOISTS-39/2.1	81.900	lm
124	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
125	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
126	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
127	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
128	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
129	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
130	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
131	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
132	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
133	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
134	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
135	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
136	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
137	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
138	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
139	190X45 T3 GREEN MGP10 TREATED PINE- 32/2.4	76.800	lm
140	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
141	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
142	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
143	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
144	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
145	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
146	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
147	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
148	240X45 T3 GREEN MGP10 TREATED PINE-12/3.0	36.000	lm
149	240X45 T3 GREEN MGP10 TREATED PINE-24/3.6	86.400	lm
150	240X45 T3 GREEN MGP10 TREATED PINE-24/3.6	86.400	lm
151	240X45 T3 GREEN MGP10 TREATED PINE-24/3.6	86.400	lm
152	240X45 T3 GREEN MGP10 TREATED PINE-24/3.6	86.400	lm
153	240X45 T3 GREEN MGP10 TREATED PINE-24/3.6	86.400	lm
154	240X45 T3 GREEN MGP10 TREATED PINE-24/3.6	86.400	lm
155	240X45 T2 BLUE F5 PINE-33/3.6	118.800	lm
156	240X45 T2 BLUE F5 PINE-33/3.6	118.800	lm
157	240X45 T2 BLUE F5 PINE-33/3.6 (THIS PACK IS AGED STOCK AND SOLD AS IS)	118.800	lm
158	240X45 T2 BLUE F5 PINE-33/3.6	118.800	lm
159	240X45 T2 BLUE F5 PINE-33/3.6	118.800	lm
160	240X45 T2 BLUE F5 PINE-33/3.6	118.800	lm
161	240X45 T2 BLUE F5 PINE-33/3.6	118.800	lm

162	240X45	T2	BLUE	F5	PINE-33/3.6	118.800	lm
163	240X45	T2	BLUE	F5	PINE-33/3.6	118.800	lm
164	240X45	T2	BLUE	F5	PINE-33/3.6	118.800	lm
165	240X45	T2	BLUE	F5	PINE-33/3.6	118.800	lm
166	240X45	T2	BLUE	F5	PINE-33/3.6	118.800	lm
167	240X45	T2	BLUE	F5	PINE-33/3.6	118.800	lm
168	240X45	T2	BLUE	F5	PINE-33/3.6	118.800	lm
169	240X45	T2	BLUE	F5	PINE-33/3.6	118.800	lm
170	240X45	T2	BLUE	F5	PINE-33/3.6	118.800	lm
171	240X45	T2	BLUE	F5	PINE-33/3.6	118.800	lm
172	240X45	T2	BLUE	F5	PINE-33/3.6	118.800	lm
173	90X22	LOSP	TREATED	PINE	DECKING-184/5.4	993.600	lm
174	90X45	F5	PINE	-104/5.4		561.600	lm
175	90X45	F5	PINE	-109/5.4		588.600	lm
176	90X45	F5	PINE	-96/5.4		518.400	lm
177	90X45	F5	PINE	-102/5.4		550.800	lm
178	90X45	F5	PINE	-112/5.4		604.800	lm
179	90X45	F5	PINE	-112/5.4		604.800	lm
180	90X45	F5	PINE	-104/5.4		561.600	lm
181	190X45	H3	CCA	TREATED	PINE-56/3.6	201.600	lm
182	190X45	H3	CCA	TREATED	PINE-56/3.6	201.600	lm
183	190X45	H3	CCA	TREATED	PINE-56/4.2	235.200	lm
184	190X45	H3	CCA	TREATED	PINE-56/3.6	201.600	lm
185	190X45	H3	CCA	TREATED	PINE-25/4.2	105.000	lm
186	TRTD	PINE	RHD	140X45	4.8M	288.000	lm
187	TRTD	PINE	RHD	140X45	4.8M	288.000	lm
188	190X45	H3	CCA	TREATED	PINE-56/3.6	201.600	lm
189	TRTD	PINE	RHD	140X45	4.8M	283.200	lm
190	TRTD	PINE	RHD	140X45	4.8M	288.000	lm
191	TRTD	PINE	RHD	140X45	4.8M	288.000	lm
192	190X45	H3	CCA	TREATED	PINE-56/3.6	201.600	lm
193	190X45	H3	CCA	TREATED	PINE-56/4.2	235.200	lm
194	TRTD	PINE	RHD	140X45	4.8M	288.000	lm
195	TRTD	PINE	RHD	140X45	4.8M	264.000	lm
196	140X45	H2	E14	LVL	BEAMS-56/3.6	201.600	lm
197	140X45	H2	E14	LVL	BEAMS-56/3.6	201.600	lm
198	140X45	H2	E14	LVL	BEAMS-56/3.6	201.600	lm
199	140X45	H2	E14	LVL	BEAMS-56/3.6	201.600	lm
200	140X45	H2	E14	LVL	BEAMS-56/3.6	201.600	lm
201	140X45	H2	E14	LVL	BEAMS-56/3.6	201.600	lm
202	140X45	H2	E14	LVL	BEAMS-56/3.6	201.600	lm
203	140X45	H2	E14	LVL	BEAMS-56/4.2	235.200	lm
204	140X45	H2	E14	LVL	BEAMS-56/4.2	235.200	lm
205	140X45	H2	E14	LVL	BEAMS-56/4.2	235.200	lm
206	240X45	T3	GREEN	MGP10	TREATED PINE-24/3.0	72.000	lm
207	240X45	T3	GREEN	MGP10	TREATED PINE-24/3.0	72.000	lm
208	240X45	T3	GREEN	MGP10	TREATED PINE-24/3.0	72.000	lm
209	240X45	T3	GREEN	MGP10	TREATED PINE-24/3.0	72.000	lm
210	140X45	H2	E14	LVL	BEAMS-56/4.2	235.200	lm
211	140X45	H2	E14	LVL	BEAMS-56/4.8	268.800	lm
212	240X45	T3	GREEN	MGP10	TREATED PINE-24/3.0	72.000	lm
213	240X45	T3	GREEN	MGP10	TREATED PINE-24/3.0	72.000	lm
214	240X45	T3	GREEN	MGP10	TREATED PINE-24/3.0	72.000	lm
215	240X45	T3	GREEN	MGP10	TREATED PINE-24/3.0	72.000	lm
216	240X45	T3	GREEN	MGP10	TREATED PINE-24/3.0	72.000	lm
217	240X45	T3	GREEN	MGP10	TREATED PINE-24/3.0	72.000	lm
218	240X45	T3	GREEN	MGP10	TREATED PINE-24/3.0	72.000	lm
219	240X45	T3	GREEN	MGP10	TREATED PINE-24/3.0	72.000	lm
220	240X45	T3	GREEN	MGP10	TREATED PINE-24/3.0	72.000	lm

221	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
222	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
223	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
224	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
225	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
226	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
227	150-175MM TREATED PINE POLES-20/3.0	20.000	ea
228	100-125MM TREATED PINE POLES-50/2.1	50.000	ea
229	100-125MM TREATED PINE POLES-50/2.1	50.000	ea
230	100-125MM TREATED PINE POLES-50/2.1	50.000	ea
231	150-175MM TREATED PINE POLES-20/3.0	20.000	ea
232	150-175MM TREATED PINE POLES-20/3.0	20.000	ea
233	150-175MM TREATED PINE POLES-20/3.0	20.000	ea
234	150-175MM TREATED PINE POLES-20/3.0	20.000	ea
235	150-175MM TREATED PINE POLES-20/3.0	20.000	ea
236	150-175MM TREATED PINE POLES-20/3.0	20.000	ea
237	150-175MM TREATED PINE POLES-20/3.0	20.000	ea
238	150-175MM TREATED PINE POLES-20/3.0	20.000	ea
239	150-175MM TREATED PINE POLES-20/3.0	20.000	ea
240	150-175MM TREATED PINE POLES-20/3.0	20.000	ea
241	150-175MM TREATED PINE POLES-20/3.0	20.000	ea
242	150-175MM TREATED PINE POLES-20/3.0	20.000	ea
243	150-175MM TREATED PINE POLES-20/3.0	20.000	ea
244	150-175MM TREATED PINE POLES-20/3.0	20.000	ea
245	150-175MM TREATED PINE POLES-20/3.0	20.000	ea
286	140X45 T3 GREEN MGP10 TREATED PINE-40/1.2	48.000	lm
287	140X45 T3 GREEN MGP10 TREATED PINE-40/1.2	48.000	lm
288	140X45 T3 GREEN MGP10 TREATED PINE-40/1.2	48.000	lm
289	90X45 MGP10 PINE-384/0.3	115.200	lm
290	90X45 MGP10 PINE-384/0.3	115.200	lm
291	90X45 MGP10 PINE-384/0.3	115.200	lm
292	90X45 MGP10 PINE-384/0.3	115.200	lm
293	90X45 MGP10 PINE-384/0.3	115.200	lm
294	90X45 MGP10 PINE-384/0.3	115.200	lm
295	90X45 MGP10 PINE-384/0.3	115.200	lm
296	90X45 MGP10 PINE-384/0.3	115.200	lm
297	90X45 MGP10 PINE-384/0.3	115.200	lm
298	90X45 MGP10 PINE-384/0.3	115.200	lm
299	90X45 MGP10 PINE-384/0.3	115.200	lm
300	90X45 MGP10 PINE-384/0.3	115.200	lm
301	90X45 MGP10 PINE-384/0.3	115.200	lm
302	2400X450X4.5MM FIBRE CEMENT SHEETS	190.000	ea
303	2400X450X4.5MM FIBRE CEMENT SHEETS	190.000	ea
304	2400X450X4.5MM FIBRE CEMENT SHEETS	106.000	ea
305	2400X450X4.5MM FIBRE CEMENT SHEETS	106.000	ea
306	2400X450X4.5MM FIBRE CEMENT SHEETS	190.000	ea
307	2400X450X4.5MM FIBRE CEMENT SHEETS	106.000	ea
308	2400X600X4.5MM FIBRE CEMENT SHEETS	142.000	ea
309	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
310	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
311	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
312	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
313	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
314	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
315	240X45 T3 GREEN MGP10 TREATED PINE-24/3.0	72.000	lm
316	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
317	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	326.000	lm

318	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
319	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	1m
320	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
321	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	319.000	1m
322	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	1m
323	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
324	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	1m
325	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
326	125X19 DARK QLD HARDWOOD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	247.000	1m
327	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	326.000	1m
328	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
329	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	1m
330	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	1m
331	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m
332	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	1m
333	140X25 DARK QLD HARDWOOD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	249.000	1m
334	140X25 DARK QLD HARDWOOD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	247.000	1m
335	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
336	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	1m
337	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
338	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m
339	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
340	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m
341	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
342	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	1m
343	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	1m
344	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m
345	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	489.000	1m
346	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	1m

347	135X19 FEATURE GRADE SPOTTED GUM DECKING-(PACK CONSISTS OF RANDOM SHORT LENGTHS)	329.000	1m
348	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m
349	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m
350	135X19 FEATURE GRADE QLD DARK MIXED HARDWOOD DECKING-(PACK CONSISTS OF RANDOM SHORT LENGTHS)	339.000	1m
351	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	326.000	1m
352	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	1m
353	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
354	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	326.000	1m
355	135X19 FEATURE GRADE QLD DARK MIXED HARDWOOD DECKING-(PACK CONSISTS OF RANDOM SHORT LENGTHS)	340.000	1m
356	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
357	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	1m
358	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	1m
359	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	329.000	1m
360	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
361	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	326.000	1m
362	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	326.000	1m
363	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
364	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	326.000	1m
365	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	1m
366	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	1m
367	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
368	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
369	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m
370	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m
371	135X19 FEATURE GRADE QLD DARK MIXED HARDWOOD DECKING-(PACK CONSISTS OF RANDOM SHORT LENGTHS)	345.000	1m
372	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
373	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
374	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m
375	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m

376	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
377	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m
378	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m
379	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	1m
380	130X19 FEATURE GRADE SPOTTED GUM FLOORING	322.000	1m
381	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	1m
382	86X19 KARRI STANDARD BETTER GRADE PRE-OILED DECKING	445.000	1m
383	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	322.000	1m
384	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	1m
385	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	329.000	1m
386	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
387	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	1m
388	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	329.000	1m
389	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	1m
390	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
391	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
392	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	1m
393	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
394	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m
395	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	1m
396	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	1m
397	135X19 FEATURE GRADEQLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
398	135X19 FEATURE GRADEQLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
399	135X19 QLD MIXED HWD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	1m
400	135X19 QLD MIXED HWD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	1m
401	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
402	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m
403	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
404	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m
405	135X19 QLD MIXED HARDWOOD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m
406	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m

407	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
408	86X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	1m
409	140X25 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	236.000	1m
410	140X25 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	245.000	1m
411	125X19 DARK QLD HARDWOOD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	305.000	1m
412	125X19 DARK QLD HARDWOOD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	331.000	1m
413	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
414	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	1m
415	86X19 FEATURE GRADE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	460.000	1m
416	86X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
417	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	1m
418	86X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	463.000	1m
419	70X32 FEATURE GRADE QLD MIXED HARDWOOD	347.000	1m
420	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	1m
421	65X19 SILVERTOP ASH UTILITY GRADE DECKING	689.000	1m
422	65X19 SILVERTOP ASH UTILITY GRADE DECKING	689.000	1m
423	86X19 STRINGY BARK MERCH KD DECKING	600.000	1m
424	86X19 STRINGY BARK MERCH KD DECKING	684.000	1m
425	86X19 STRINGY BARK MERCH KD DECKING	648.000	1m
426	135X19 QLD MIXED HWD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
427	86X19 FEATURE GRADE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	490.000	1m
428	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	1m
429	86X19 FEATURE GRADE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
430	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
431	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
432	86X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	1m
433	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
434	64X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	537.000	1m
435	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	1m
436	86X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	405.000	1m
437	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	1m
438	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	1m

439	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
440	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
441	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
442	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
443	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	489.000	1m
444	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
445	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	1m
446	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
447	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
448	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	490.000	1m
449	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
450	86X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	490.000	1m
451	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	1m
452	135X19 FEATURE QLD MIXED HARDWOOD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	1m
453	86X19 FEATURE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
454	86X19 FEATURE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
455	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	1m
456	86X19 FEATURE GRADE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	490.000	1m
457	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	1m
458	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	490.000	1m
459	86X19 FEATURE GRADE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	490.000	1m
460	86X19 FEATURE GRADE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	444.000	1m
461	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
462	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	1m
463	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	1m
464	86X19 FEATURE GRADE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	490.000	1m
465	86X19 FEATURE GRADE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	1m
466	86X19 FEATURE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	480.000	1m
467	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	489.000	1m

468	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	329.000	lm	
469	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	490.000	lm	
470	86X19 DARK QLD HARDWOOD FEATURE GRADE DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	454.000	lm	
471	86X19 DARK QLD HARDWOOD FEATURE GRADE DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	471.000	lm	
472	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	lm	
473	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	lm	
474	2052X732X3.2MM PRIMED MDF SHEETS	200.000	ea	
475	2440X1220X3MM PACKING GRADE MDF SHEETS	200.000	ea	
476	2440X1220X3MM PACKING GRADE MDF SHEETS	200.000	ea	
477	1830X915X3MM MDF SHEETS	152.000	ea	
478	1830X915X3MM MDF SHEETS	152.000	ea	
479	1830X915X3MM MDF SHEETS	152.000	ea	
480	1830X915X3MM MDF SHEETS	152.000	ea	
481	2052X732X3.2MM PRIMED MDF SHEETS	200.000	ea	
482	2112X932X3.2MM PRIMING BLANKS MDF SHEETS	200.000	ea	
483	2112X932X3.2MM PRIMING BLANKS MDF SHEETS	200.000	ea	
484	2400X1200X9MM MDF SHEETS	60.000	ea	
485	2400X1200X9MM MDF SHEETS	60.000	ea	
486	2400X1200X9MM MDF SHEETS	60.000	ea	
487	2400X1200X9MM MDF SHEETS	60.000	ea	
488	1900MM X 165MM X 12MM DUNE SHADOW (BU06) ENGINEERED FLOORING- (72 BOXES X 1.881 M2)	135.430	m2	
489	1900MM X 165MM X 12MM DUNE SHADOW (BU06) ENGINEERED FLOORING- (72 BOXES X 1.881 M2)	135.430	m2	
490	1900MM X 165MM X 12MM POLAR WHITE (BU05) ENGINEERED FLOORING- (72 BOXES X 1.881 M2)	135.430	m2	
491	1900MM X 165MM X 12MM POLAR WHITE (BU05) ENGINEERED FLOORING- (72 BOXES X 1.881 M2)	135.430	m2	
492	1900MM X 165MM X 12MM PUEBLO CLAY (BU03) ENGINEERED FLOORING- (72 BOXES X 1.881 M2)	135.430	m2	
493	1900MM X 165MM X 12MM BURNT UMBER (BU01) ENGINEERED FLOORING- (72 BOXES X 1.881 M2)	135.430	m2	
494	68X32 AUS OAK P/ROUND UTE KD HARDWOOD	638.400	lm	
495	68X32 AUS OAK P/ROUND UTE KD HARDWOOD	638.400	lm	
496	68X32 AUS OAK P/ROUND MERCH KD HARDWOOD	403.200	lm	
497	68X32 AUS OAK P/ROUND MERCH KD HARDWOOD	638.400	lm	
498	65X65 GLACIAL OAK DAR LAM SELECT GRADE SLIGHTLY WEATHERED KD HARDWOOD	51.300	lm	
499	600X33 GLACIAL OAK STANDARD GRADE LAM KD HARDWOOD BENCHTOPS-8/3.6	28.800	lm	
500	600X33 GLACIAL OAK STANDARD GRADE LAM KD HARDWOOD BENCHTOPS-6/3.6	21.600	lm	
501	360X43 AMERICAN OAK LAM SELECT GRADE KD HARDWOOD-10/3.6	36.000	lm	
502	360X43 AMERICAN OAK LAM SELECT GRADE KD HARDWOOD-10/3.6	36.000	lm	
503	60X60 GLACIAL OAK DAR LAM SELECT GRADE KD HARDWOOD	129.100	lm	
504	600X33 GLACIAL OAK STANDARD GRADE LAM KD HARDWOOD BENCHTOPS-12/3.6	43.200	lm	
505	552X33 AUS OAK LAM KD HARDWOOD	22.400	lm	
506	552X33 AUS OAK LAM KD HARDWOOD	37.500	lm	
507	190X19 GLACIAL OAK DAR LAM KD HARDWOOD	129.000	lm	*
508	72X32 GLACIAL OAK DAR KD HARDWOOD	260.000	lm	*
509	3600X1800X12MM PARTICLEBOARD SHEETS	38.000	ea	
510	3600X1800X12MM PARTICLEBOARD SHEETS	39.000	ea	

511	3600X1800X18MM PARTICLEBOARD SHEETS	20.000	ea
512	42X32 AUS OAK P/ROUND KD HARDWOOD	28.800	lm
513	65X19 GLACIAL OAK DAR UTE KD HARDWOOD	67.200	lm
514	112X13 GLACIAL OAK KD HARDWOOD OVERLAY FLOORING	132.000	lm
515	190X19 GLACIAL OAK DAR LAM STANDARD GRADE KD HARDWOOD	30.700	lm
516	75X50 AUS OAK SAWN STANDARD GRADE KD HARDWOOD	33.000	lm
517	45X41 AUS OAK DAR KD HARDWOOD	84.000	lm
518	42X42 AUS OAK CLASSIC F/J P/ROUND KD HARDWOOD	259.200	lm
519	120X32 AUS OAK CLASSIC DAR KD HARDWOOD	78.000	lm
520	65X42 AUS OAK DAR CLASSIC KD HARDWOOD	100.800	lm
521	105X19 AUS OAK SHIPLAP CLADDING	315.000	lm
522	600X33 AUS OAK LAM KD HARDWOOD STANDARD GRADE	10.500	lm
523	70X33 GLACIAL OAK F/J DAR KD HARDWOOD	172.800	lm
524	165X42 GLACIAL OAK DAR LAM STANDARD GRADE KD HARDWOOD	39.000	lm
525	110X12 AUS OAK KD HARDWOOD SHIPLAP LINING BOARDS	126.000	lm
526	105X19 AUS OAK KD HARDWOOD SHIPLAP CLADDING	120.000	lm
527	90X42 AUS OAK DAR UTE KD HARDWOOD	374.400	lm
528	600X26 GLACIAL OAK LAM SELECT GRADE KD HARDWOOD-20/1.2	24.000	lm
529	600X26 GLACIAL OAK LAM SELECT GRADE KD HARDWOOD-20/1.2	24.000	lm
530	290X68 GLACIAL OAK STANDARD GRADE LAM KD HARDWOOD TREADS-27/1.1	29.700	lm
531	290X68 GLACIAL OAK STANDARD GRADE LAM KD HARDWOOD TREADS-27/1.0	27.000	lm
532	600X26 GLACIAL OAK STANDARD GRADE LAM KD HARDWOOD BENCHTOPS-12/2.4 1/2.1 1/1.2 1/1.1 9/0.9	41.300	lm
533	600X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 12/2.4	28.800	lm
534	600X33 TAS OAK LAM KD HARDWOOD BENCHTOPS-12/2.4	28.800	lm
535	600X33 AMERICAN OAK LAM KD HARDWOOD BENCHTOPS-8/2.4	19.200	lm
536	600X26 GLACIAL OAK STANDARD GRADE LAM KD HARDWOOD BENCHTOPS	61.300	lm
537	600X33 TAS OAK LAM KD HARDWOOD BENCHTOPS-13/2.4	31.200	lm
538	600X33 TAS OAK LAM KD HARDWOOD BENCHTOPS-14/2.4	28.800	lm
539	600X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 14/2.4	33.600	lm
540	600X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 12/2.4	28.800	lm
541	600X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 12/2.4	28.800	lm
542	900X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 9/2.4 1/1.9	23.500	lm
543	900X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 9/2.4	21.600	lm
544	900X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 7/2.4 3/2.3	23.700	lm
545	900X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 4/2.4 2/2.3	14.200	lm
546	900X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 7/2.4 2/2.3 1/2.0	23.400	lm
547	900X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 7/2.4	16.800	lm
548	900X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 10/2.4	24.000	lm
549	900X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 8/2.4 1/2.3	21.500	lm
550	900X33 AUS OAK LAM KD HARDWOOD BENCHTOPS- 12/2.4	28.800	lm
551	900X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 10/2.4	24.000	lm
552	900X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 2/2.4 1/2.3	7.100	lm
553	900X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 6/2.4 2/2.2 2/2.1 1/2.0 1/1.2	26.200	lm
554	900X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 9/2.4 1/2.1	23.700	lm
555	900X33 AUS OAK LAM KD HARDWOOD BENCHTOPS- 12/2.4	28.800	lm
556	900X33 TAS OAK LAM KD HARDWOOD BENCHTOPS- 10/2.4	24.000	lm
557	900X33 TAS OAK LAM KD HARDWOOD BENCH TOPS -6/2.4	14.400	lm
558	900X33 TAS OAK LAM KD HARDWOOD BENCH TOPS -10/2.4	24.000	lm
559	900X33 MOUNTAIN GUM LAM KD HARDWOOD BENCH TOPS -9/2.4 4/2.3 1/1.5	32.300	lm
560	900X33 TAS OAK LAM KD HARDWOOD BENCH TOPS-6/2.4 2/2.3	19.000	lm
561	900X33 TAS OAK LAM KD HARDWOOD BENCH TOPS -10/2.4	24.000	lm
562	60X60 GLACIAL OAK DAR LAM SELECT GRADE KD HARDWOOD	114.900	lm

563	600X33 TAS OAK LAM KD HARDWOOD BENCHTOPS-12/2.4	28.800	lm
564	600X33 TAS OAK LAM KD HARDWOOD BENCHTOPS-12/2.4	28.800	lm
565	600X33 TAS OAK LAM KD HARDWOOD BENCHTOPS-10/2.4 1/2.3 1/2.2	28.500	lm
566	600X33 TAS OAK LAM KD HARDWOOD BENCHTOPS-8/2.4	19.200	lm
567	600X33 TAS OAK LAM KD HARDWOOD BENCH TOPS -10/2.4	24.000	lm
568	600X33 TAS OAK LAM KD HARDWOOD BENCH TOPS -10/2.4 1/2.2 1/1.3	27.500	lm
569	600X33 TAS OAK LAM KD HARDWOOD BENCH TOPS -4/2.4	9.600	lm
570	600X33 TAS OAK LAM KD HARDWOOD BENCH TOPS -12/2.4	28.800	lm
571	600X26 GLACIAL OAK STANDARD GRADE LAM KD HARDWOOD BENCHTOPS-11/2.2 2/2.1 33/0.9	58.100	lm
572	110X12 GLACIAL OAK SELECT GRADE SHIPLAP LINING BOARDS-35/1.25	43.750	lm
573	900X33 GLACIAL OAK LAM STANDARD GRADE KD HARDWOOD BENCHTOPS	34.300	lm
574	900X33 TAS OAK LAM KD HARDWOOD BENCHTOPS	22.800	lm
575	900X33 TAS OAK LAM KD HARDWOOD BENCHTOPS	16.400	lm
576	ROLLS OF PLASTIC WRAP	9.000	ea *
581	125X19 FEATURE GRADE SPOTTED GUM SHIPLAP CLADDING	327.000	lm
582	125X19 SPOTTED GUM FEATURE GRADE SHIPLAP CLADDING	325.000	lm
583	125X19 SPOTTED GUM FEATURE GRADE SHIPLAP CLADDING	325.000	lm
584	125X19 SPOTTED GUM FEATURE GRADE SHIPLAP CLADDING	325.000	lm
585	125X19 SPOTTED GUM FEATURE GRADE SHIPLAP CLADDING	320.000	lm
586	70X35 FEATURE GRADE SPOTTED GUM	371.000	lm
587	90X35 FEATURE GRADE SPOTTED GUM	315.000	lm
588	90X35 FEATURE GRADE SPOTTED GUM	310.000	lm
589	125X19 SPOTTED GUM FEATURE GRADE SHIPLAP CLADDING	330.000	lm
590	70X35 FEATURE GRADE SPOTTED GUM	371.000	lm
591	70X35 FEATURE GRADE SPOTTED GUM	294.000	lm
592	70X35 FEATURE GRADE SPOTTED GUM	370.000	lm
593	90X45 FEATURE GRADE SPOTTED GUM	244.000	lm
594	90X35 FEATURE GRADE SPOTTED GUM	190.000	lm
595	90X45 FEATURE GRADE SPOTTED GUM	259.000	lm
596	100X38 SKIP DRESSED FEATURE GRADE CHESTNUT KD HARDWOOD	170.000	lm
597	100X25 SKIP DRESSED FEATURE GRADE SOUTHERN ASH KD HARDWOOD	200.000	lm
598	100X38 SKIP DRESSED FEATURE GRADE CHESTNUT KD HARDWOOD	510.000	lm
599	150X50 SKIP DRESSED RERUN GRADE SOUTHERN ASH KD HARDWOOD	128.000	lm
600	100X38 SKIP DRESSED SOUTHERN ASH FEATURE GRADE	315.000	lm
601	100X38 SOUTHERN ASH SKIP DRESSED FEATURE GRADE KD HARDWOOD	353.000	lm
602	75X25 SOUTHERN ASH CHECKING GRADE SKIP DRESSED	1,040.000	lm
603	100X38 SOUTHERN ASH SKIP DRESSED FEATURE GRADE KD HARDWOOD	371.000	lm
604	240X63 E14 H2 LVL BEAMS-24/5.4	129.600	lm
605	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
606	86X19 FEATURE GRADE JARRAH DECKING	500.000	lm
607	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	623.000	lm
608	86X19 FEATURE GRADE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	lm
609	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	629.000	lm
610	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	454.000	lm

611	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
612	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	459.000	1m
613	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	1m
614	86X19 KARRI FEATURE GRADE DECKING	495.000	1m
615	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	326.000	1m
616	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	625.000	1m
617	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	625.000	1m
618	86X19 FEATURE GRADE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	1m
619	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
620	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	627.000	1m
621	85X20 F/J JARRAH STANDARD BETTER GRADE PRE-OILED DECKING-72/5.4	388.800	1m
622	86X19 FEATURE GRADE JARRAH DECKING	495.000	1m
623	86X19 DARK QLD HARDWOOD FEATURE GRADE DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	468.000	1m
624	86X19 FEATURE GRADE JARRAH DECKING	500.000	1m
625	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	490.000	1m
626	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	612.000	1m
627	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	612.000	1m
628	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	624.000	1m
629	86X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
630	86X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	1m
631	86X19 KARRI STANDARD BETTER GRADE PRE-OILED DECKING	415.000	1m
632	86X19 DARK QLD HARDWOOD FEATURE GRADE DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	465.000	1m
633	85X20 KARRI STANDARD GRADE DECKING	508.000	1m
634	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	1m
635	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	1m
636	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	1m
637	86X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	1m
638	86X19 QLD BLONDES HWD FEATURE GRADE DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
639	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	1m
640	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	1m
641	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	452.000	1m
642	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	490.000	1m

643	86X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	1m
644	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	1m
645	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	1m
646	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	490.000	1m
647	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	1m
648	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
649	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	1m
650	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	1m
651	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	490.000	1m
652	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	1m
653	86X19 FEATURE GRADE F/J JARRAH PRE-OILED DECKING	642.000	1m
654	65X20 KARRI STANDARD GRADE DECKING-(1.8 TO 5.1)	774.000	1m
655	85X20 KARRI STANDARD GRADE DECKING	618.000	1m
656	65X20 KARRI STANDARD GRADE DECKING-(1.8 TO 5.1)	763.500	1m
657	86X19 KARRI STANDARD BETTER GRADE PRE-OILED DECKING	414.000	1m
658	86X19 FEATURE GRADE JARRAH DECKING	490.000	1m
659	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	490.000	1m
660	85X20 KARRI STANDARD GRADE DECKING	589.000	1m
661	65X20 STANDARD GRADE KARRI DECKING	780.900	1m
662	65X20 STANDARD GRADE KARRI DECKING	773.100	1m
663	85X20 KARRI STANDARD GRADE DECKING	616.000	1m
664	65X20 STANDARD GRADE KARRI DECKING	722.100	1m
665	65X20 KARRI STANDARD GRADE DECKING- 5/5.1 5/4.8 6/4.5 2/4.2 5/3.6 61/3.3 14/3.0 63/2.7 43/2.4 44/2.1 46/1.8	794.700	1m
666	65X20 KARRI STANDARD GRADE DECKING- 180/5.1	918.000	1m
667	85X20 KARRI STANDARD GRADE DECKING	606.000	1m
668	65X20 KARRI STANDARD GRADE DECKING- 5/5.4 5/5.1 1/4.5 37/3.3 21/3.0 59/2.7 59/2.4 70/2.1 66/1.8	808.800	1m
669	65X20 KARRI STANDARD GRADE DECKING- 27/5.1 7/4.8 2/4.5 1/3.6 58/3.3 20/3.0 58/2.7 36/2.4 64/2.1 25/1.8	857.700	1m
670	65X20 KARRI STANDARD GRADE DECKING-(1.8 TO 5.1)	762.900	1m
671	65X20 STANDARD GRADE KARRI DECKING	776.400	1m
672	65X20 KARRI STANDARD GRADE DECKING-(1.8 TO 5.1)	867.300	1m
673	65X20 STANDARD GRADE KARRI DECKING	809.700	1m
674	65X20 KARRI STANDARD GRADE DECKING- 2/5.4 7/5.1 4/4.8 19/4.5 11/4.2 8/3.9 2/3.6 19/3.3 36/3.0 42/2.7 28/2.4 33/2.1 50/1.8	746.400	1m
675	65X20 KARRI STANDARD GRADE DECKING- 9/5.4 3/5.1 3/4.8 1/4.5 55/3.3 27/3.0 55/2.7 47/2.4 66/2.1 35/1.8	808.200	1m
676	65X20 STANDARD GRADE KARRI DECKING	795.600	1m
677	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORING	173.000	1m
678	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORING	179.000	1m
679	125X14 SPOTTED GUM FEATURE GRADE OVERLAY FLOORING	166.000	1m
680	125X14 SPOTTED GUM FEATURE GRADE OVERLAY FLOORING	193.000	1m
681	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORING	175.000	1m
682	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORING	190.000	1m
683	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORING	169.000	1m
684	125X14 SPOTTED GUM FEATURE GRADE OVERLAY FLOORING	179.000	1m

685	125X14 SPOTTED GUM FEATURE GRADE OVERLAY FLOORING	165.000	lm
686	125X14 SPOTTED GUM FEATURE GRADE OVERLAY FLOORING	186.000	lm
687	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORING	192.000	lm
688	65X20 KARRI STANDARD GRADE DECKING-160/2.1	336.000	lm
689	85X20 JARRAH STANDARD BETTER F/J DECKING-120/2.7	324.000	lm
690	85X20 JARRAH STANDARD BETTER GRADE F/J DECKING-120/3.6	432.000	lm
691	85X20 JARRAH STANDARD BETTER GRADE F/J DECKING-120/3.6	432.000	lm
692	85X14 WORMY CHESTNUT GUMVEIN GRADE OVERLAY FLOORING	710.000	lm
693	85X14 WORMY CHESTNUT GUMVEIN GRADE OVERLAY FLOORING	708.000	lm
694	85X14 WORMY CHESTNUT GUMVEIN GRADE OVERLAY FLOORING	652.000	lm
695	85X14 WORMY CHESTNUT GUMVEIN GRADE OVERLAY FLOORING	691.000	lm
696	85X14 AUSTRALIAN CHESTNUT SELECT GRADE OVERLAY FLOORING- (THIS PACK HAS FORKLIFT DAMAGE ON THE FRONT)	720.000	lm
697	85X14 WORMY CHESTNUT GUMVEIN GRADE OVERLAY FLOORING	710.000	lm
698	85X20 JARRAH STANDARD BETTER F/J DECKING-120/2.7	324.000	lm
699	85X20 JARRAH STANDARD BETTER F/J DECKING-120/2.7	324.000	lm
700	85X20 JARRAH STANDARD BETTER GRADE F/J DECKING-120/3.6	432.000	lm
701	85X20 JARRAH STANDARD BETTER GRADE F/J DECKING-119/3.6	428.400	lm
702	65X20 KARRI STANDARD GRADE DECKING-160/4.2	672.000	lm
703	65X20 KARRI STANDARD GRADE DECKING-160/4.2	672.000	lm
704	85X20 JARRAH F/J STANDARD BETTER GRADE DECKING-120/3.0	360.000	lm
705	85X14 WORMY CHESTNUT GUMVEIN GRADE KD HARDWOOD OVERLAY FLOORING	710.000	lm
706	85X14 WORMY CHESTNUT GUMVEIN GRADE KD HARDWOOD OVERLAY FLOORING	711.000	lm
707	65X20 KARRI STANDARD GRADE DECKING-160/4.2	672.000	lm
708	65X20 KARRI STANDARD GRADE DECKING-160/4.2	672.000	lm
709	85X20 JARRAH F/J FEATURE GRADE PRE-OILED DECKING-42/2.7	113.400	lm
710	68X26 LUNAWOOD SOLAR SHADE SLAT 120/3.0	360.000	lm
711	68X20 LUNAWOOD SOLAR SHADE SLAT 90/3.9	351.000	lm
712	85X20 JARRAH STANDARD BETTER GRADE F/J DECKING-120/3.6	432.000	lm
713	85X20 JARRAH STANDARD BETTER GRADE F/J DECKING-120/3.6	432.000	lm
714	85X20 KARRI STANDARD GRADE DECKING	634.000	lm
715	85X20 JARRAH STANDARD BETTER GRADE F/J DECKING-120/3.6	432.000	lm
716	125X19 JARRAH STANDARD AND BETTER GRADE END MATCHED FLOORING- (LENGTHS FROM 0.9 TO 1.5)	265.000	lm
717	125X19 JARRAH STANDARD AND BETTER GRADE END MATCHED FLOORING- (LENGTHS FROM 0.9 TO 1.5)	278.000	lm
718	85X20 KARRI STANDARD GRADE DECKING	608.000	lm
719	65X20 KARRI STANDARD GRADE DECKING-(LENGTHS FROM 1.8 TO 5.1)	831.300	lm
720	65X20 KARRI STANDARD GRADE DECKING-160/4.2	672.000	lm
721	65X20 KARRI STANDARD GRADE DECKING- 160/5.1	816.000	lm
722	65X20 KARRI STANDARD GRADE DECKING- 160/5.1	816.000	lm
723	65X20 KARRI STANDARD GRADE DECKING-(LENGTHS FROM 1.8 TO 5.4)	833.700	lm
724	130X19 SPOTTED GUM COVER GRADE FLOORING	350.000	lm
725	130X19 SPOTTED GUM COVER GRADE FLOORING	350.000	lm
726	130X19 SPOTTED GUM COVER GRADE FLOORING	350.000	lm
727	80X19 BRUSH BOX COVER GRADE FLOORING	500.000	lm
728	80X19 SPOTTED GUM COVER GRADE FLOORING	552.000	lm
729	130X19 GREY IRONBARK COVER GRADE FLOORING	350.000	lm
730	80X19 SPOTTED GUM COVER GRADE FLOORING	400.000	lm
731	80X19 BRUSH BOX COVER GRADE FLOORING	500.000	lm
732	80X19 BRUSH BOX COVER GRADE FLOORING	500.000	lm
733	80X19 BRUSH BOX COVER GRADE FLOORING	500.000	lm
734	130X19 SPOTTED GUM COVER GRADE FLOORING	350.000	lm
735	80X19 SPOTTED GUM COVER GRADE FLOORING	512.000	lm
736	130X19 GREY IRONBARK COVER GRADE FLOORING	350.000	lm

737	80X19 BLUEGUM COVER GRADE FLOORING	184.000	lm
738	130X19 GREY GUM COVER GRADE FLOORING	277.000	lm
739	130X14 BLUE GUM COVER GRADE OVERLAY FLOORING	350.000	lm
740	130X14 TALLOWOOD COVER GRADE OVERLAY FLOORING	350.000	lm
741	130X19 TALLOWOOD COVER GRADE FLOORING	351.000	lm
742	86X19 STRINGYBARK COVER GRADE DECKING	167.000	lm
743	130X19 TALLOWOOD COVER GRADE FLOORING	350.000	lm
744	86X19 SPOTTED GUM COVER GRADE DECKING	505.000	lm
745	130X14 BRUSH BOX COVER GRADE OVERLAY FLOORING	62.000	lm
746	130X14 BLUE GUM COVER GRADE OVERLAY FLOORING	95.000	lm
747	128X14 ROASTED PEAT COVER GRADE OVERLAY FLOORING	194.000	lm
748	130X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	351.000	lm
749	130X14 BRUSH BOX COVER GRADE OVERLAY FLOORING	122.000	lm
750	80X19 SPOTTED GUM COVER GRADE FLOORING	550.000	lm
751	130X19 TURPENTINE COVER GRADE FLOORING	350.000	lm
752	86X19 QLD SPOTTED GUM COVER GRADE DECKING	500.000	lm
753	86X19 QLD SPOTTED GUM COVER GRADE DECKING	500.000	lm
754	130X19 TALLOWOOD COVER GRADE FLOORING	350.000	lm
755	130X14 BRUSH BOX COVER GRADE OVERLAY FLOORING	411.000	lm
756	86X19 QUEENSLAND SPOTTED GUM COVER GRADE DECKING	500.000	lm
757	86X19 STRINGY BARK MERCH KD DECKING	679.000	lm
758	86X19 STRINGY BARK MERCH KD DECKING	499.000	lm
759	86X19 STRINGY BARK MERCH KD DECKING	674.000	lm
760	86X19 STRINGY BARK MERCH KD DECKING	625.000	lm
761	86X19 STRINGY BARK MERCH KD DECKING	660.000	lm
762	80X19 FEATURE GRADE SPOTTED GUM FLOORING	485.000	lm
763	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
764	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	486.000	lm
765	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
766	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
767	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
768	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
769	130X19 SPOTTED GUM FEATURE GRADE FLOORING	310.000	lm
770	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
771	130X19 FEATURE GRADE SPOTTED GUM FLOORING	320.000	lm
772	130X19 FEATURE GRADE SPOTTED GUM FLOORING	327.000	lm
773	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
774	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
775	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
776	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
777	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
778	130X19 FEATURE GRADE SPOTTED GUM FLOORING	327.000	lm
779	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
780	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
781	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
782	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
783	PALLET OF ENGINEERED FLOORING BOARDS SAMPLES	1.000	ea
784	2440X1220X3.6MM BB/CC MR LAUAN PLYWOOD	235.000	ea
785	2440X1220X3.6MM BB/CC MR LAUAN PLYWOOD	235.000	ea
786	165X14 TAS OAK STD/BETTER GRADE BULLNOSE WEATHERBOARDS SHORTS-0.9 TO 2.1	97.300	lm
787	2440X1220X3.6MM BB/CC MR LAUAN PLYWOOD	235.000	ea
788	2440X1220X3.6MM BB/CC MR LAUAN PLYWOOD	235.000	ea
789	65X20 KARRI STANDARD GRADE DECKING-160/2.1	336.000	lm
790	85X20 JARRAH STANDARD BETTER F/J DECKING-120/2.7	324.000	lm
791	85X20 JARRAH STANDARD BETTER F/J DECKING-120/2.7	324.000	lm
792	86X19 FEATURE GRADE F/J KARRI DECKING-120/3.0	360.000	lm
793	85X20 F/J JARRAH STANDARD BETTER GRADE DECKING-120/3.0	360.000	lm
794	86X19 FEATURE GRADE F/J KARRI DECKING-120/2.4	288.000	lm

795	85X20 F/J JARRAH STANDARD BETTER GRADE DECKING-120/2.4	288.000	lm
796	86X19 FEATURE GRADE F/J KARRI DECKING-120/2.7	324.000	lm
797	85X20 F/J JARRAH STANDARD BETTER GRADE DECKING-120/3.0	360.000	lm
798	85X20 JARRAH STANDARD BETTER F/J DECKING-120/2.7	324.000	lm
799	85X20 F/J JARRAH STANDARD BETTER GRADE DECKING-120/3.0	360.000	lm
800	165X14 TAS OAK STD/BETTER GRADE BULLNOSE WEATHERBOARDS SHORTS-0.9 TO 2.1	481.200	lm
801	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	532.000	lm
802	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	534.000	lm
803	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	535.000	lm
804	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	537.000	lm
805	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	577.000	lm
806	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	528.000	lm
807	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	531.000	lm
808	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	535.000	lm
809	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	466.000	lm
810	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	531.000	lm
811	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	527.000	lm
812	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	537.000	lm
813	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	535.000	lm
814	PALLET OF ENGINEERED FLOORING BOARDS SAMPLES	1.000	ea
815	(1005) 90X14/3MM HERRINGBONE ENGINEERED FLOORING-(39 BOXES X 0.864M2)	33.690	m2
816	135X19 FEATURE GRADE F/J JARRAH DECKING-80/1.8	144.000	lm
817	130X20 JARRAH F/J STANDARD BETTER GRADE DECKING-80/1.8	144.000	lm
818	130X20 JARRAH F/J STANDARD BETTER GRADE DECKING-63/1.8	113.400	lm
819	85X20 JARRAH STANDARD BETTER F/J DECKING-120/1.8	216.000	lm
820	85X20 JARRAH F/J STANDARD AND BETTER GRADE DECKING-120/1.8	216.000	lm
821	80X18 TAS OAK PRIME GRADE ALCOVE LINING BOARDS-360/0.9	324.000	lm
822	80X18 TAS OAK PRIME GRADE ALCOVE LINING BOARDS-360/0.9	324.000	lm
823	86X19 FEATURE GRADE F/J KARRI DECKING-120/1.8	216.000	lm
824	65X19 TAS OAK KD HARDWOOD SINGLE BEVEL ARCHITRAVES-240/1.8	432.000	lm
825	65X19 TAS OAK KD HARDWOOD SINGLE BEVEL ARCHITRAVES-240/1.8	432.000	lm
826	65X19 TAS OAK KD HARDWOOD SINGLE BEVEL ARCHITRAVES-240/1.8	432.000	lm
827	42X19 TAS OAK SINGLE BEVEL ARCHITRAVES SHORTS	406.100	lm
828	65X19 TAS OAK KD HARDWOOD SINGLE BEVEL ARCHITRAVES-195/1.8	351.000	lm
829	65X19 TAS OAK KD HARDWOOD SINGLE BEVEL ARCHITRAVES-240/1.8	432.000	lm
830	65X19 TAS OAK KD HARDWOOD SINGLE BEVEL ARCHITRAVES-160/1.8	288.000	lm
831	85X20 JARRAH STANDARD BETTER F/J DECKING-120/1.8	216.000	lm
832	85X20 JARRAH F/J STANDARD BETTER GRADE DECKING-120/1.8	216.000	lm
833	65X20 KARRI STANDARD GRADE DECKING-160/1.8	288.000	lm
834	85X20 JARRAH F/J STANDARD AND BETTER GRADE DECKING-120/2.4	288.000	lm
835	85X20 JARRAH F/J STANDARD AND BETTER GRADE DECKING-120/2.4	288.000	lm
836	42X19 TAS OAK KD HARDWOOD SINGLE BEVEL ARCHITRAVE SHORTS	528.200	lm
837	65X20 KARRI STANDARD GRADE DECKING-160/1.8	288.000	lm
838	85X20 JARRAH F/J STANDARD AND BETTER GRADE DECKING-120/1.8	216.000	lm
839	85X20 JARRAH F/J STANDARD BETTER GRADE DECKING-120/1.8	216.000	lm
840	65X20 KARRI STANDARD GRADE DECKING-160/1.8	288.000	lm

841	130X20 JARRAH F/J STANDARD BETTER GRADE DECKING-80/1.8	144.000	lm
842	86X19 F/J JARRAH FEATURE GRADE DECKING-120/1.8	216.000	lm
843	85X20 JARRAH STANDARD BETTER F/J DECKING-120/1.8	216.000	lm
844	85X20 JARRAH STANDARD BETTER PRE-OILED F/J DECKING-120/1.8	216.000	lm
845	85X20 JARRAH STANDARD BETTER F/J DECKING-120/1.8	216.000	lm
846	85X20 JARRAH STANDARD BETTER F/J DECKING-120/1.8	216.000	lm
847	130X20 JARRAH F/J STANDARD BETTER GRADE DECKING-80/1.8	144.000	lm
848	85X20 JARRAH STANDARD BETTER F/J DECKING-120/1.8	216.000	lm
849	86X19 FEATURE GRADE F/J KARRI DECKING-120/1.8	216.000	lm
850	42X19 TAS OAK SINGLE BEVEL ARCHITRAVES SHORTS	72.700	lm
851	130X20 JARRAH F/J STANDARD BETTER GRADE DECKING-80/1.8	144.000	lm
852	130X20 JARRAH F/J STANDARD AND BETTER GRADE DECKING-80/1.8	144.000	lm
853	130X20 JARRAH F/J STANDARD AND BETTER GRADE DECKING-80/1.8	144.000	lm
854	85X20 JARRAH STANDARD BETTER F/J DECKING-120/1.8	216.000	lm
855	2200X239X12MM MIDNIGHT OAK (30144-5) LAMINATE FLOORING- (12 BOXES X 2.1 M2)	25.200	m2
856	300X25 KD HARDWOOD LAM TIMBER PANELS-26/2.4	26.000	ea
857	190X14/3MM (ICEBERG 5G CLICK) ENGINEERED FLOORING- (7 PACKS X 2.888 M2)	20.216	m2
858	2440X1220X3.6MM BB/CC MR LAUAN PLYWOOD	235.000	ea
859	1900MM X 165MM X 12MM LIGHT STONE (BU02) ENGINEERED FLOORING- (72 BOXES X 1.881 M2)	135.430	m2
860	1900MM X 165MM X 12MM LIGHT STONE (BU02) ENGINEERED FLOORING- (72 BOXES X 1.881 M2)	135.430	m2
861	120X15/4MM DRIFTWOOD CHEVRON (P001/15) ENGINEERED FLOORING-(28 BOXES X 0.72 M2)	20.160	m2
862	285X33 TAUN SELECT GRADE LAM KD HARDWOOD	100.200	lm
863	80X19 SPOTTED GUM FEATURE GRADE FLOORING	487.000	lm
864	80X19 SPOTTED GUM FEATURE GRADE FLOORING	489.000	lm
865	80X19 SPOTTED GUM FEATURE GRADE FLOORING	485.000	lm
866	80X19 SPOTTED GUM FEATURE GRADE FLOORING	488.000	lm
867	80X19 SPOTTED GUM FEATURE GRADE FLOORING	486.000	lm
868	140X45 GL13 MIXED HARDWOOD LAM BEAMS-10/3.6	36.000	lm
869	200X45 GL13 MIXED HARDWOOD LAM BEAMS-10/4.8	48.000	lm
870	80X19 SPOTTED GUM FEATURE GRADE FLOORING	486.000	lm
871	80X19 SPOTTED GUM FEATURE GRADE FLOORING	488.000	lm
872	80X19 SPOTTED GUM FEATURE GRADE FLOORING	485.000	lm
873	80X19 SPOTTED GUM FEATURE GRADE FLOORING	486.000	lm
874	80X19 SPOTTED GUM FEATURE GRADE FLOORING	486.000	lm
875	80X19 SPOTTED GUM FEATURE GRADE FLOORING	475.000	lm
876	80X19 SPOTTED GUM FEATURE GRADE FLOORING	482.000	lm
877	80X19 SPOTTED GUM FEATURE GRADE FLOORING	482.000	lm
878	80X19 SPOTTED GUM FEATURE GRADE FLOORING	486.000	lm
879	80X19 SPOTTED GUM FEATURE GRADE FLOORING	485.000	lm
880	80X19 SPOTTED GUM FEATURE GRADE FLOORING	485.000	lm
881	80X19 SPOTTED GUM FEATURE GRADE FLOORING	485.000	lm
882	80X19 SPOTTED GUM FEATURE GRADE FLOORING	486.000	lm
883	80X19 SPOTTED GUM FEATURE GRADE FLOORING	482.000	lm
884	80X19 SPOTTED GUM FEATURE GRADE FLOORING	480.000	lm
885	80X19 SPOTTED GUM FEATURE GRADE FLOORING	482.000	lm
886	80X19 SPOTTED GUM FEATURE GRADE FLOORING	481.000	lm
887	80X19 SPOTTED GUM FEATURE GRADE FLOORING	487.000	lm
888	80X19 SPOTTED GUM FEATURE GRADE FLOORING	485.000	lm
889	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	587.000	lm
890	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	600.000	lm
891	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	612.000	lm

892	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	600.000	1m
893	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	600.000	1m
894	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	601.000	1m
895	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	1m
896	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	602.000	1m
897	85X14 TALLOWOOD LINING BOARDS	120.000	1m
898	150X38 SAWN RADIATA PINE MIXED CLEARS-52/4.8	249.600	1m
899	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	877.100	1m
900	80X19 FEATURE GRADE SPOTTED GUM FLOORING	489.000	1m
901	130X19 FEATURE GRADE SPOTTED GUM FLOORING	329.000	1m
902	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	1m
903	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	1m
904	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	844.200	1m
905	80X19 FEATURE GRADE SPOTTED GUM FLOORING	488.000	1m
906	130X19 FEATURE GRADE SPOTTED GUM FLOORING	327.000	1m
907	130X19 SPOTTED GUM FEATURE GRADE FLOORING	328.000	1m
908	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	1m
909	33X8 SELECT GRADE VIC ASH STOP BEAD	1,306.000	1m
910	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	893.400	1m
911	130X19 FEATURE GRADE SPOTTED GUM FLOORING	329.000	1m
912	130X19 FEATURE GRADE SPOTTED GUM FLOORING	329.000	1m
913	130X19 FEATURE GRADE SPOTTED GUM FLOORING	327.000	1m
914	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	1m
915	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	1m
916	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
917	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	1m
918	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	464.000	1m
919	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	448.000	1m
920	130X19 SPOTTED GUM FEATURE GRADE FLOORING	328.000	1m
921	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	481.000	1m
922	86X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
923	130X19 SPOTTED GUM FEATURE GRADE FLOORING	328.000	1m
924	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	1m
925	86X19 FEATURE GRADE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
926	86X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	1m
927	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	1m
928	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	1m
929	130X19 FEATURE GRADE SPOTTED GUM FLOORING	315.000	1m
930	120X19 SPOTTED GUM MERCH GRADE SHIPLAP CLADDING	352.000	1m
931	120X19 SPOTTED GUM MERCH GRADE SHIPLAP CLADDING	353.000	1m
932	120X19 SPOTTED GUM MERCH GRADE SHIPLAP CLADDING	346.000	1m
933	120X19 SPOTTED GUM MERCH GRADE SHIPLAP CLADDING	354.000	1m
934	130X19 FEATURE GRADE SPOTTED GUM FLOORING	329.000	1m
935	130X19 FEATURE GRADE SPOTTED GUM FLOORING	338.000	1m
936	130X19 FEATURE GRADE SPOTTED GUM FLOORING	327.000	1m
937	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	480.000	1m
938	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	1m
939	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	1m
940	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	1m

941	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	325.000	1m
942	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	325.000	1m
943	180X19	AUSTRALIAN	CHESTNUT	ALL-IN	GRADE	FLOORING	232.000	1m
944	85X19	WORMY	CHESTNUT	FEATURE	GRADE	FLOORING	518.000	1m
945	85X19	AUSTRALIAN	CHESTNUT	FEATURE	GRADE	FLOORING	413.000	1m
946	80X19	QLD MIX	HARDWOOD	FEATURE	GRADE	FLOORING	488.000	1m
947	64X19	FEATURE	GRADE	QLD MIX	HWD	DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	630.000	1m
948	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	325.000	1m
949	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	329.000	1m
950	85X19	WORMY	CHESTNUT	GUMVEIN	GRADE	FLOORING	96.000	1m
951	80X14	IRONBARK	UTILITY	GRADE	FLOORING		122.100	1m
952	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	328.000	1m
953	80X19	FEATURE	GRADE	QLD MIXED	HARDWOOD	FLOORING	485.000	1m
954	80X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	487.000	1m
955	80X19	FEATURE	GRADE	QLD MIXED	HARDWOOD	FLOORING	485.000	1m
956	80X19	FEATURE	GRADE	QLD MIXED	HARDWOOD	FLOORING	487.000	1m
957	80X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	480.000	1m
958	63X19	MESSMATE	FLOORING				120.000	1m
959	100X16	TAS OAK	FEATURE	GRADE	SKIP	DRESSED KD HARDWOOD	694.600	1m
960	80X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	489.000	1m
961	80X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	486.000	1m
962	80X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	485.000	1m
963	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	326.000	1m
964	80X19	FEATURE	GRADE	QLD MIXED	HARDWOOD	FLOORING	485.000	1m
965	80X19	FEATURE	GRADE	QLD MIXED	HARDWOOD	FLOORING	487.000	1m
966	100X16	TAS OAK	FEATURE	GRADE	SKIP	DRESSED KD HARDWOOD	839.600	1m
967	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	323.000	1m
968	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	328.000	1m
969	80X19	FEATURE	GRADE	QLD MIXED	HARDWOOD	FLOORING	488.000	1m
970	80X19	FEATURE	GRADE	QLD MIXED	HARDWOOD	FLOORING	489.000	1m
971	80X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	488.000	1m
972	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	328.000	1m
973	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	325.000	1m
974	130X19	SPOTTED	GUM	FEATURE	GRADE	FLOORING	326.000	1m
975	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	325.000	1m
976	130X19	SPOTTED	GUM	FEATURE	GRADE	FLOORING	325.000	1m
977	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	328.000	1m
978	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	328.000	1m
979	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	329.000	1m
980	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	328.000	1m
981	100X16	TAS OAK	FEATURE	GRADE	SKIP	DRESSED KD HARDWOOD	284.500	1m
982	130X19	SPOTTED	GUM	FEATURE	GRADE	FLOORING	328.000	1m
983	130X19	SPOTTED	GUM	FEATURE	GRADE	FLOORING	327.000	1m
984	130X19	SPOTTED	GUM	FEATURE	GRADE	FLOORING	330.000	1m
985	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	327.000	1m
986	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	325.000	1m
987	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	327.000	1m
988	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	328.000	1m
989	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	325.000	1m
990	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	327.000	1m
991	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	330.000	1m
992	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	328.000	1m
993	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	329.000	1m
994	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	326.000	1m
995	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	325.000	1m
996	130X19	FEATURE	GRADE	SPOTTED	GUM	FLOORING	325.000	1m
997	120X19	SPOTTED	GUM	MERCH	GRADE	SHIPLAP CLADDING	347.000	1m
998	120X19	SPOTTED	GUM	MERCH	GRADE	SHIPLAP CLADDING	353.000	1m

999	120X19 SPOTTED GUM MERCH GRADE SHIPLAP CLADDING	352.000	lm
1000	40X18 PINE F/J CLEARS MOULDINGS-240/3.6	864.000	lm
1001	40X18 PINE F/J CLEARS MOULDINGS-240/3.6	864.000	lm
1002	130X19 FEATURE GRADE SPOTTED GUM FLOORING	327.000	lm
1003	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
1004	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
1005	80X19 FEATURE GRADE SPOTTED GUM FLOORING	486.000	lm
1006	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
1007	130X19 SPOTTED GUM FEATURE GRADE FLOORING	322.000	lm
1008	85X19 AUSTRALIAN CHESTNUT FEATURE GRADE FLOORING	492.000	lm
1009	85X19 AUSTRALIAN CHESTNUT FLOORING	223.000	lm
1010	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
1011	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
1012	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
1013	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
1014	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	325.000	lm
1015	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
1016	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
1017	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	322.000	lm
1018	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
1019	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
1020	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
1021	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
1022	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
1023	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
1024	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
1025	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
1026	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
1027	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
1028	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
1029	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
1030	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
1031	130X19 FEATURE GRADE SPOTTED GUM FLOORING	323.000	lm
1032	150X17 SAWN VIC ASH KD HARDWOOD	300.000	lm
1033	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
1034	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
1035	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
1036	80X19 QLD MIX HWD FEATURE GRADE FLOORING	486.000	lm
1037	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
1038	130X19 SPOTTED GUM FEATURE GRADE FLOORING	323.000	lm
1039	150X17 SAWN VIC ASH KD HARDWOOD	345.000	lm
1040	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
1041	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
1042	80X19 FEATURE GRADE QLD MIX HWD FLOORING	470.000	lm
1043	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
1044	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
1045	130X19 FEATURE GRADE SPOTTED GUM FLOORING	327.000	lm
1046	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	728.100	lm
1047	80X19 QLD MIX HARDWOOD FEATURE GRADE FLOORING	485.000	ea
1048	80X19 QLD MIX HWD FEATURE GRADE FLOORING	485.000	lm
1049	80X19 FEATURE GRADE QLD MIX HWD FLOORING	485.000	lm
1050	80X19 FEATURE GRADE SPOTTED GUM FLOORING	485.000	lm
1051	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
1052	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	326.000	lm
1053	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	798.600	lm
1054	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	340.000	lm
1055	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
1056	80X19 FEATURE GRADE QLD MIX HWD FLOORING	477.000	lm
1057	80X19 FEATURE GRADE QLD MIX HWD FLOORING	490.000	lm

1058	80X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	465.000	lm
1059	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	326.000	lm
1060	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	885.800	lm
1061	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	325.000	lm
1062	130X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	326.000	lm
1063	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	330.000	lm
1064	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
1065	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	324.000	lm
1066	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	328.000	lm
1067	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	868.700	lm
1068	80X19 FEATURE GRADE QLD MIX HWD FLOORING	462.000	lm
1069	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
1070	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	325.000	lm
1071	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	327.000	lm
1072	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	326.000	lm
1073	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	485.000	lm
1074	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	325.000	lm
1075	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	330.000	lm
1076	80X19 FEATURE GRADE QLD MIX HWD FLOORING	485.000	lm
1077	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	325.000	lm
1078	130X19 QLD MIX HWD FEATURE GRADE FLOORING	328.000	lm
1079	80X19 FEATURE GRADE QLD MIX HWD FLOORING	487.000	lm
1080	80X19 FEATURE GRADE QLD MIX HWD FLOORING	485.000	lm
1081	80X19 FEATURE GRADE QLD MIX HWD FLOORING	369.000	lm
1082	80X19 FEATURE GRADE QLD MIX HWD FLOORING	488.000	lm
1083	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	325.000	lm
1084	86X19 FEATURE GRADE JARRAH DECKING	617.000	lm
1085	86X19 FEATURE GRADE JARRAH DECKING	618.000	lm
1086	80X19 FEATURE GRADE QLD MIX HWD FLOORING	475.000	lm
1087	80X19 QLD MIX HARDWOOD FEATURE GRADE FLOORING	488.000	ea
1088	80X19 QLD MIX HARDWOOD FEATURE GRADE FLOORING	483.000	ea
1089	80X19 FEATURE GRADE QLD MIX HWD FLOORING	485.000	lm
1090	80X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	436.000	lm
1091	86X19 FEATURE GRADE JARRAH DECKING	628.000	lm
1092	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	640.000	lm
1093	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	625.000	lm
1094	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	297.000	lm
1095	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	330.000	lm
1096	82X14 GREY IRONBARK FEATURE GRADE OVERLAY FLOORING	500.000	lm
1097	130X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	45.000	lm
1098	130X19 QLD MIX HWD FEATURE GRADE FLOORING	326.000	lm
1099	80X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	490.000	lm
1100	80X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	291.000	lm
1101	80X19 FEATURE GRADE QLD MIX HWD FLOORING	485.000	lm
1102	130X19 QLD MIX HWD FEATURE GRADE FLOORING	327.000	lm
1103	130X19 FEATURE GRADE QLD MIX HWD FLOORING	213.000	lm