FOWLES AUCTIONS & SALES PTY LTD
2099 PRINCES HIGHWAY CLAYTON VICTORIA 3168
TELEPHONE (03) 9265 5555 FAX (03) 9265 5501

Wednesday 04 November 2026
TIMBER AUCTION
COMMENCING AT: 10:00 AM
* = Seller Not Registered For GST

Please Note:

Measurements, descriptions and quantities given in this catalogue are not guaranteed to be correct. Goods are sold with faults (If any).

Lot	Description	Quantity	UOM
1	42X35 LVL-360/2.7	972.000	lm
2	90X35 SMART10 E-STUDS-288/2.7	777.600	lm
3	90X90 LVL BEAMS-48/6.0	288.000	lm
4	90X90 LVL BEAMS-48/6.0	288.000	lm
5	90X45 F5 PINE-112/5.4	604.800	lm
6	90X45 F5 PINE-112/5.4	604.800	lm
7	90X45 F5 PINE-112/5.4	604.800	lm
8	90X45 F5 PINE-112/5.4	604.800	lm
9	90X45 F5 PINE-112/5.4	604.800	lm
10	90X45 F5 PINE-112/5.4	604.800	lm
11	240X45 MGP10 PINE-36/5.4 (THIS PACK IS AGED STOCK AND IS SOLD AS IS)	194.400	lm
12	150X40 MERCH PINE-52/5.4 (THIS PACK IS AGED STOCK AND IS SOLD AS IS)	280.800	lm
13	150X40 MERCH PINE-56/5.4 6/4.8 3/4.5 (THIS PACK IS AGED STOCK AND IS SOLD AS IS)	344.700	lm
14	70X45 MGP10 LOSP TREATED PINE-70/6.0	420.000	lm
15	70X45 MGP10 LOSP TREATED PINE-70/6.0	420.000	lm
16	90X35 H2F PINE NOGGINS-672/0.553	371.600	lm
17	70X30 LVL PACKING-180/2.7	486.000	lm
18	90X45 F5 PINE-111/2.7	299.700	lm
19	90X35 MGP10 PINE-136/3.3 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	448.800	lm
20	90X35 MGP10 PINE-144/3.3 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	475.200	lm
21	90X35 MGP10 PINE-144/3.3 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	475.200	lm
22	90X35 MGP10 PINE-80/3.3 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	264.000	lm
23	90X35 MGP10 PINE-144/3.3 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	475.200	lm
24	90X35 MGP10 PINE-144/3.3 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	475.200	lm
25	90X35 MGP10 PINE-144/3.3 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	475.200	lm
26	90X35 MGP10 PINE-80/3.3 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	264.000	lm
27	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm
28	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm
29	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm
30	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm
31	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm
32	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm
33	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm

34	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm
35	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm
36	90X22 TAN E H3 TREATED PINE DECKING 224/3.6	806.400	lm
37	90X22 TAN E H3 TREATED PINE DECKING 224/3.6	806.400	lm
38	90X22 TAN E H3 TREATED PINE DECKING 224/3.6	806.400	lm
39	90X22 TAN E H3 TREATED PINE DECKING 176/3.6	633.600	lm
40	90X22 TAN E H3 TREATED PINE DECKING 224/3.6	806.400	lm
41	90X22 TAN E H3 TREATED PINE DECKING 176/3.6	633.600	lm
42	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
43	90X22 TAN E H3 TREATED PINE DECKING 176/3.6	633.600	lm
44	90X22 TAN E H3 TREATED PINE DECKING 224/3.6	806.400	lm
45	90X22 TAN E H3 TREATED PINE DECKING 176/3.6	633.600	lm
46	90X22 TAN E H3 TREATED PINE DECKING 176/3.6	633.600	lm
47	90X22 TAN E H3 TREATED PINE DECKING 224/3.6	806.400	lm
48	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
49	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
50	90X22 TAN E H3 TREATED PINE DECKING-144/4.8	691.200	lm
51	70X22 TAN E H3 TREATED PINE DECKING-220/4.8	1,056.000	lm
52	70X22 TAN E H3 TREATED PINE DECKING-220/4.8	1,056.000	lm
53	70X22 TAN E H3 TREATED PINE DECKING-220/4.8	1,056.000	lm
54	70X22 TAN E H3 TREATED PINE DECKING-220/4.8	1,056.000	lm
55	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
56	70X22 TAN E H3 TREATED PINE DECKING-100/4.8	480.000	lm
57	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
58	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
59	90X22 TAN E H3 TREATED PINE DECKING-141/4.8	676.800	lm
60	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
61	70X22 TAN E H3 TREATED PINE DECKING-178/4.8	854.400	lm
62	90X22 TAN E H3 TREATED PINE DECKING-136/4.8	652.800	lm
63	90X22 TAN E H3 TREATED PINE DECKING-136/4.8	652.800	lm
64	90X22 TAN E H3 TREATED PINE DECKING-136/4.8	652.800	lm
65	90X22 TAN E H3 TREATED PINE DECKING-136/4.8	652.800	lm
66	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
67	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
68	90X22 TAN E H3 TREATED PINE DECKING-136/4.8	652.800	lm
69	90X22 TAN E H3 TREATED PINE DECKING-142/4.8	681.600	lm
70	70X22 TAN E H3 TREATED PINE DECKING-220/4.8	1,056.000	lm
71	70X22 TAN E H3 TREATED PINE DECKING-220/4.8	1,056.000	lm
72	METAL TEMPORARY FENCING PANELS	44.000	ea
73	METAL TEMPORARY FENCING PANELS	83.000	ea
77	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
78	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
79	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
80	90X22 H3 TAN E TREATED PINE DECKING-176/3.6	633.600	lm
81	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
82	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
83	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
84	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
85	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
86	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
87	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
88	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
89	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
90	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
91	90X22 H3 TAN E TREATED PINE DECKING-176/3.6	633.600	lm
92	90X22 TAN E H3 TREATED PINE DECKING-176/4.2	739.200	lm
93	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
94	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
95	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm

96	70X22 TAN E H3 TREATED PINE DECKING-250/4.2	1,050.000	lm
97	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
98	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
99	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
100	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
101	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
102	90X22 TAN E H3 TREATED PINE DECKING-176/4.2	739.200	lm
103	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
104	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
105	90X22 TAN E H3 TREATED PINE DECKING-224/3.6	806.400	lm
106	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
107	90X22 TAN E H3 TREATED PINE DECKING 176/3.6	633.600	lm
108	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
109	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
110	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
111	90X22 TAN E H3 TREATED PINE DECKING-224/3.6	806.400	lm
112	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
113	70X22 TAN E H3 TREATED PINE DECKING-156/4.8	748.800	lm
114	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
115	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
116	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
117	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
118	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
119	70X22 TAN E H3 TREATED PINE DECKING-90/3.6	324.000	lm
120	70X22 TAN E H3 TREATED PINE DECKING-130/4.2	546.000	lm
121	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
122	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
123	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
124	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
125	70X22 TAN E H3 TREATED PINE DECKING-220/2.4	528.000	lm
126	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
127	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
128	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
129	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
130	70X22 TAN E H3 TREATED PINE DECKING-220/3.6	792.000	lm
131	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
132	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
133	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
134	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
135	70X22 TAN E H3 TREATED PINE DECKING-220/3.6	792.000	lm
136	70X22 TAN E H3 TREATED PINE DECKING-220/3.6	792.000	lm
137	70X22 TAN E H3 TREATED PINE DECKING-220/3.6	792.000	lm
138	70X22 TAN E H3 TREATED PINE DECKING-220/3.6	792.000	lm
139	TRTD PINE RHD 90X45 5.4M	594.000	lm
140	TRTD PINE RHD 90X45 5.4M	604.800	lm
141	TRTD PINE RHD 90X45 5.4M	604.800	lm
142	TRTD PINE RHD 90X45 5.4M	604.800	lm
143	TRTD PINE RHD 90X45 5.4M	604.800	lm
144	TRTD PINE RHD 90X45 5.4M	604.800	lm
145	90X45 H3 CCA TREATED PINE-102/4.8 (THIS PACK IS AGED STOCK AND TWISTED)	489.600	lm
146	TRTD PINE RHD 90X45 5.4M	604.800	lm
147	TRTD PINE RHD 90X45 5.4M	604.800	lm
148	TRTD PINE RHD 90X45 6.0M	672.000	lm
149	TRTD PINE RHD 90X45 5.4M	604.800	lm
150	TRTD PINE RHD 90X45 5.4M	604.800	lm
151	TRTD PINE RHD 90X45 5.4M	604.800	lm
152	TRTD PINE RHD 90X45 6.0M	672.000	lm
153	TRTD PINE RHD 90X45 5.4M	599.400	lm

154	TRTD PINE RHD 90X45 6.0M	672.000	lm
155	TRTD PINE RHD 90X45 6.0M	672.000	lm
156	TRTD PINE RHD 90X45 6.0M	672.000	lm
157	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
158	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
159	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
160	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
161	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
162	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
163	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
164	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
165	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
166	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
167	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
168	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
169	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
170	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
171	190X45 PINE UTILITY EXPORT GRADE-44/6.0	264.000	lm
172	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
173	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
174	190X45 PINE UTILITY EXPORT GRADE-44/6.0	264.000	lm
175	190X45 PINE UTILITY EXPORT GRADE-44/6.0	264.000	lm
176	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
177	190X45 EXPORT UTILITY GRADE PINE-44/6.0	264.000	lm
178	190X45 PINE UTILITY EXPORT GRADE-44/6.0	264.000	lm
179	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
180	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
181	190X45 EXPORT UTILITY GRADE PINE-44/6.0	264.000	lm
182	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
183	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
184	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
185	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
186	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
187	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
188	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
189	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
190	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
191	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
192	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
193	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
194	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
195	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
196	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
197	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
198	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
199	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
200	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
201	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
202	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
203	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
204	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
205	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
206	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
227	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	lm
228	140X25 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	240.000	lm
229	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm

230	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING-(PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	lm
231	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
232	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING-(PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
233	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING-(PACK CONSISTS OF RANDOM SHORT LENGTHS)	329.000	lm
234	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	lm
235	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	lm
236	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
237	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	lm
238	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
239	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	326.000	lm
240	135X19 QLD MIXED HWD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
241	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
242	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING-(PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	lm
243	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	326.000	lm
244	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
245	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
246	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
247	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	322.000	lm
248	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
249	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
250	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
251	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
252	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	329.000	lm
253	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
254	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	lm
255	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
256	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
257	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
258	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm

259	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
260	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	lm
261	135X19 QLD MIXED HWD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	lm
262	135X19 FEATURE GRADEQLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
263	135X19 FEATURE GRADEQLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
264	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
265	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
266	135X19 QLD MIXED HWD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	lm
267	135X19 QLD MIXED HARDWOOD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
268	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
269	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	504.000	lm
270	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
271	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	504.000	lm
272	86X19 SILVERTOP DECKING SHORTS	588.000	lm
273	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
274	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
275	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
276	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
277	86X19 SILVERTOP DECKING SHORTS	546.000	lm
278	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
279	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
280	86X19 SILVERTOP DECKING SHORTS	530.000	lm
281	86X19 SILVERTOP DECKING SHORTS	546.000	lm
282	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
283	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
284	SLATE GREY CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
285	SLATE GREY CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 47 SHEETS X 6.0 LONG	282.000	lm
286	MONUMENT CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
287	MONUMENT CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
288	BASALT TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 4.2 LONG	210.000	lm
289	SLATE GREY TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
290	SLATE GREY TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
291	MONUMENT TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
292	MONUMENT TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
293	MONUMENT TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
294	MONUMENT TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
295	MONUMENT TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm

296	MONUMENT TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
297	86X19 FEATURE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	480.000	lm
298	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	625.000	lm
299	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	625.000	lm
300	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	627.000	lm
301	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	624.000	lm
302	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	623.000	lm
303	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	629.000	lm
304	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	490.000	lm
305	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	lm
306	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	630.000	lm
307	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	612.000	lm
308	86X19 FEATURE GRADE JARRAH DECKING	495.000	lm
309	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	612.000	lm
310	85X20 JARRAH F/J STANDARD BETTER GRADE DECKING-120/5.4 (THIS PACK IS SLIGHTLY WEATHERED IN PARTS)	648.000	lm
311	85X20 KARRI STANDARD GRADE DECKING	606.000	lm
312	86X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	lm
313	86X19 FEATURE GRADE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	lm
314	86X19 FEATURE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	lm
315	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	lm
316	85X20 JARRAH F/J STANDARD BETTER GRADE DECKING-120/3.6	432.000	lm
317	85X20 KARRI STANDARD GRADE DECKING	616.000	lm
318	65X20 KARRI STANDARD GRADE DECKING-(LENGTHS FROM 1.8 TO 5.4)	833.700	lm
319	65X20 KARRI STANDARD GRADE DECKING- 9/5.4 3/5.1 3/4.8 1/4.5 55/3.3 27/3.0 55/2.7 47/2.4 66/2.1 35/1.8	808.200	lm
320	86X19 FEATURE GRADE JARRAH DECKING	628.000	lm
321	65X19 ALL IN GRADE SILVERTOP DECKING	717.000	lm
322	65X20 KARRI STANDARD GRADE DECKING-(1.8 TO 5.1)	762.900	lm
323	65X20 STANDARD GRADE KARRI DECKING	776.400	lm
324	65X20 KARRI STANDARD GRADE DECKING-(1.8 TO 5.1)	867.300	lm
325	65X20 STANDARD GRADE KARRI DECKING	809.700	lm
326	65X19 ALL IN GRADE SILVERTOP DECKING	754.000	lm
327	65X19 ALL IN GRADE SILVERTOP DECKING	726.000	lm
328	65X20 KARRI STANDARD GRADE DECKING- 2/5.4 7/5.1 4/4.8 19/4.5 11/4.2 8/3.9 2/3.6 19/3.3 36/3.0 42/2.7 28/2.4 33/2.1 50/1.8	746.400	lm
329	65X20 KARRI STANDARD GRADE DECKING- 5/5.1 5/4.8 6/4.5 2/4.2 5/3.6 61/3.3 14/3.0 63/2.7 43/2.4 44/2.1 46/1.8	794.700	lm
330	65X20 KARRI STANDARD GRADE DECKING-(1.8 TO 5.1)	774.000	lm

331	PACK OF 2440X189-249X10MM OSB WEBB OFFCUTS FOR 240MM JOISTS	1.000	ea
332	2440X1040X9.5MM H2S OSB3 WEBBS	77.000	ea
333	1860X190X14/3MM ASTER PALE OAK ENGINEERED FLOORING	16.960	m2
334	888X198X14/4MM GRAUPA ENGINEERED FLOORING	25.200	m2
335	1900X190X14/3MM DARK SCHEME ENGINEERED FLOORING	17.320	m2
336	1900X190X14/3MM NEUE GRAND ENGINEERED FLOORING	43.320	m2
337	1830X189X15/4MM ASH GREY ENGINEERED FLOORING- (32 BOXES X 2.075 M2)	66.400	m2
338	1830X189X15/4MM ASH GREY ENGINEERED FLOORING- (40 BOXES X 2.075 M2)	83.000	m2
339	1830X189X15/4MM ASH GREY ENGINEERED FLOORING- (20 BOXES X 2.075 M2)	41.500	m2
340	1830X189X20/6MM BROWN BLACK ENGINEERED FLOORING- (12 BOXES X 1.383 M2)	16.590	m2
341	1900X190X20/6MM MEDIUM SCHEME ENGINEERED FLOORING	36.100	m2
341.1	2400X1200X12MM HARDWOOD PLYWOOD- (THICKNESS OF SHEETS MAY VARY)	80.000	ea
341.2	2400X1200X12MM HARDWOOD PLYWOOD- (THICKNESS OF SHEETS MAY VARY)	80.000	ea
342	1900X190X14/3MM DRIFTWOOD ENGINEERED FLOORING	20.000	m2
343	1900X190X16/4MM CALLUNA ENGINEERED FLOORING	37.500	m2
344	1900X190X15/4MM ELMO KING PIN ENGINEERED FLOORING	72.200	m2
345	290X68 GLACIAL OAK DAR LAM KD HARDWOOD STAIR TREADS- 1/1.2 3/1.1 2/1.0 9/0.9	14.600	lm
346	290X68 GLACIAL OAK DAR LAM KD HARDWOOD STAIR TREADS- 4/1.2 6/1.1 6/1.0 11/0.9	27.300	lm
347	58X38 SAWN GLACIAL OAK WEATHERED KD HARDWOOD SHORTS	72.000	lm
348	58X38 SAWN GLACIAL OAK WEATHERED KD HARDWOOD SHORTS	237.600	lm
349	1900X148X14/3MM COLOUR 17006 ENGINEERED FLOORING	67.470	m2
350	1830X189X15/4MM MINK GREY ENGINEERED FLOORING- (9 BOXES X 2.075 M2)	18.675	m2
351	1830X189X15/4MM MINK GREY ENGINEERED FLOORING- (27 BOXES X 2.075 M2)	56.020	m2
352	1830X189X15/4MM DARK OAK ENGINEERED FLOORING- (46 BOXES X 2.075 M2)	95.450	m2
353	1900X190X15/4MM HASTINGS ENGINEERED FLOORING	60.600	m2
354	1900X190X14/3MM DANISH WHITE ENGINEERED FLOORING	74.880	m2
355	1830X158X10/3MM BROWN BLACK ENGINEERED FLOORING- (57 BOXES X 2.602 M2)	148.310	m2
356	1900X190X14/3MM BRICKWORKS BROWN ENGINEERED FLOORING- (39 BOXES X 2.166 M2)	84.470	m2
357	1830X189X20/6MM MINK GREY ENGINEERED FLOORING- (13 BOXES X 1.383 M2)	17.980	m2
358	1900X190X14/3MM SAND DRIFTWOOD ENGINEERED FLOORING	57.760	m2
359	20KG BAGS OF ARDEX FG8 TRAVERTINE GROUT (BUYER MUST TAKE WHOLE PALLET)	64.000	ea
360	1100X190X14/3MM GRAVER ENGINEERED FLOORING	60.192	m2
361	1220X228X5.8MM SUNLIGHT VINYL FLOORING	50.068	m2
362	900X150X14/3MM NEERIM BRERA ENGINEERED FLOORING	32.400	m2
363	1760X183X8MM ARCADIA VINYL FLOORING	51.520	m2
364	1400X190X14/3MM ST CLAIR SILVER ENGINEERED FLOORING	40.432	m2
365	1200X182X6MM COLOUR 570 HYBRID FLOORING	30.600	m2
366	1900X190X14/3MM DARK ARTISAN ENGINEERED FLOORING	37.540	m2
367	1900X190X14/3MM NORDIC WHITE ENGINEERED FLOORING	72.200	m2
368	1900X190X14/3MM CHARRED OAK ENGINEERED FLOORING	49.060	m2
369	1900X190X14/3MM HOME MINK GREY ENGINEERED FLOORING	34.650	m2
370	2200X220X20/3MM SMOKED ENGINEERED FLOORING	32.912	m2
371	1900X190X14/3MM WHITE SMOKED ENGINEERED FLOORING	43.320	m2

372	1900X190X14/3MM ASH GREY ENGINEERED FLOORING	31.760	m2
373	1900X190X14/3MM OAK PLANK ENGINEERED FLOORING	38.900	m2
374	85X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	600.000	lm
375	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
376	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
377	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
378	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
379	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
380	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
381	85X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	335.000	lm
382	85X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	600.000	lm
383	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	403.000	lm
384	130X14 BRUSHBOX COVER GRADE OVERLAY FLOORING	350.000	lm
385	130X14 THERMALLY ENHANCED SPOTTED GUM COVER GRADE OVERLAY FLOORING	350.000	lm
386	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	600.000	lm
387	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
388	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	362.000	lm
389	130X14 GREY IRONBARK COVER GRADE OVERLAY FLOORING	350.000	lm
390	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	600.000	lm
391	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	339.000	lm
392	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
393	130X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	232.000	lm
394	130X14 GREY IRONBARK COVER GRADE OVERLAY FLOORING	350.000	lm
395	85X14 SILVERTOP STRINGYBARK COVER GRADE OVERLAY FLOORING	600.000	lm
396	130X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	348.000	lm
397	130X14 THERMALLY ENHANCED BLUEGUM COVER GRADE OVERLAY FLOORING	350.000	lm
398	130X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	297.000	lm
399	180X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	234.000	lm
400	85X14 BLUE GUM COVER GRADE OVERLAY FLOORING	455.000	lm
401	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	422.000	lm
402	130X14 BLUE GUM COVER GRADE OVERLAY FLOORING	350.000	lm
403	130X14 QLD SPOTTED GUM COVER GRADE OVERLAY FLOORING	296.000	lm
404	85X14 NEW ENGLAND BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
405	80X19 BLUEGUM COVER GRADE FLOORING	184.000	lm
406	85X14 SILVERTOP STRINGYBARK COVER GRADE OVERLAY FLOORING	325.000	lm
407	85X14 NEW ENGLAND BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
408	130X14 GREY IRONBARK COVER GRADE OVERLAY FLOORING	269.000	lm
409	130X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	350.000	lm
410	130X14 BRUSHBOX COVER GRADE OVERLAY FLOORING	350.000	lm
411	85X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	600.000	lm
412	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	600.000	lm
413	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	600.000	lm
414	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	227.000	lm
415	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	548.000	lm
416	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	267.000	lm
417	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	600.000	lm
418	140X19 TAS OAK SELECT GRADE SHIPLAP LINING BOARDS	93.000	lm
419	100X25 PINE DAR SHORTS	192.000	lm
420	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	600.000	lm
421	85X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	600.000	lm
422	85X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	600.000	lm
423	85X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	361.000	lm
424	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm

425	85X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	600.000	lm
426	130X14 BRUSHBOX COVER GRADE OVERLAY FLOORING	350.000	lm
427	130X14 THERMALLY ENHANCED BLUE GUM COVER GRADE OVERLAY FLOORING	382.000	lm
428	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	68.000	lm
429	85X14 SILVERTOP STRINGYBARK COVER GRADE OVERLAY FLOORING	600.000	lm
430	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	600.000	lm
431	85X14 BLUE GUM COVER GRADE OVERLAY FLOORING	600.000	lm
432	85X14 BLUE GUM COVER GRADE OVERLAY FLOORING	600.000	lm
433	130X14 GREY IRONBARK COVER GRADE OVERLAY FLOORING	264.000	lm
434	130X14 RED IRONBARK COVER GRADE OVERLAY FLOORING	366.000	lm
435	80X14 IRONBARK UTILITY GRADE FLOORING	122.100	lm
436	130X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	350.000	lm
437	130X14 RED IRONBARK COVER GRADE OVERLAY FLOORING	304.000	lm
438	130X14 GREY IRONBARK COVER GRADE OVERLAY FLOORING	350.000	lm
439	130X19 GREY GUM COVER GRADE FLOORING	277.000	lm
440	80X19 BRUSH BOX COVER GRADE FLOORING	500.000	lm
441	80X19 BRUSH BOX COVER GRADE FLOORING	500.000	lm
442	80X19 BLUEGUM COVER GRADE FLOORING	500.000	lm
443	80X19 BLUEGUM COVER GRADE FLOORING	500.000	lm
444	80X19 BLUEGUM COVER GRADE FLOORING	508.000	lm
445	130X19 QLD SPOTTED GUM COVER GRADE FLOORING	411.000	lm
446	80X19 CHESTNUT COVER GRADE FLOORING	396.000	lm
447	80X19 CHESTNUT COVER GRADE FLOORING	116.000	lm
448	130X19 BRUSHBOX COVER GRADE FLOORING	350.000	lm
449	118X21 BLUE GUM COVER GRADE SHIPLAP CLADDING	350.000	lm
450	80X19 BLUE GUM COVER GRADE FLOORING	500.000	lm
451	130X19 TALLOWWOOD COVER GRADE FLOORING	350.000	lm
452	80X19 BLUE GUM COVER GRADE FLOORING	500.000	lm
453	80X19 BLACKBUTT COVER GRADE FLOORING	553.000	lm
454	130X19 BRUSHBOX COVER GRADE FLOORING	350.000	lm
455	130X19 TALLOWWOOD COVER GRADE FLOORING	656.000	lm
456	80X19 BLUE GUM COVER GRADE FLOORING	504.000	lm
457	80X19 BLUE GUM COVER GRADE FLOORING	500.000	lm
458	130X19 BLACKBUTT COVER GRADE FLOORING	357.000	lm
459	130X19 TALLOWWOOD COVER GRADE FLOORING	350.000	lm
460	80X19 BRUSH BOX COVER GRADE FLOORING	500.000	lm
461	80X19 BLUE GUM COVER GRADE FLOORING	500.000	lm
462	130X19 TURPENTINE COVER GRADE FLOORING	350.000	lm
463	80X19 BLUE GUM COVER GRADE FLOORING	500.000	lm
464	130X19 TALLOWWOOD COVER GRADE FLOORING	354.000	lm
465	100X50 SOUTHERN ASH STANDARD BETTER GRADE SKIP DRESSED KD HARDWOOD	230.000	lm
466	100X50 SOUTHERN ASH STANDARD BETTER GRADE SKIP DRESSED KD HARDWOOD	255.000	lm
467	100X25 SKIP DRESSED SELECT GRADE SOUTHERN ASH KD HARDWOOD	495.000	lm
468	32X32 TAS OAK DAR UTE KD HARDWOOD RANDOM LENGTHS 0.9-5.4	3,363.700	lm
469	100X50 SOUTHERN ASH STANDARD BETTER GRADE SKIP DRESSED KD HARDWOOD	255.000	lm
470	200X38 SKIP DRESSED STANDARD BETTER GRADE SOUTHERN ASH KD HARDWOOD	173.000	lm
471	100X50 SOUTHERN ASH STANDARD BETTER GRADE SKIP DRESSED KD HARDWOOD	297.000	lm
472	100X38 SKIP DRESSED WORMY CHESTNUT	357.000	lm
473	100X38 SOUTHERN ASH SKIP DRESSED FEATURE GRADE KD HARDWOOD	371.000	lm

474	100X50 SOUTHERN ASH STANDARD BETTER GRADE SKIP DRESSED KD HARDWOOD	237.000	lm
475	100X38 SKIP DRESSED WORMY CHESTNUT	355.000	lm
476	42X19 TAS OAK KD HARDWOOD SINGLE BEVEL ARCHITRAVE SHORTS RANDOM LENGTHS 0.9 - 2.0	1,577.500	lm
477	65X20 KARRI STANDARD GRADE DECKING-160/1.8	288.000	lm
478	65X20 STANDARD GRADE SOLID KARRI DECKING-160/2.1	336.000	lm
479	135X12 TAS OAK DAR UTE KD HARDWOOD	126.000	lm
480	112X18 PRIMED MDF DOOR JAMB SETS	30.000	ea
481	112X18 PRIMED MDF DOOR JAMB SETS	30.000	ea
482	112X18 PRIMED MDF DOOR JAMB SETS	30.000	ea
483	112X18 PRIMED MDF DOOR JAMB SETS	30.000	ea
484	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/1.8	126.000	lm
485	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/1.8	126.000	lm
486	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
487	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
488	65X20 STANDARD GRADE SOLID KARRI DECKING-160/2.1	336.000	lm
489	65X20 STANDARD GRADE SOLID KARRI DECKING-160/2.1	336.000	lm
490	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/1.8	126.000	lm
491	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/1.8	126.000	lm
492	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/1.8	126.000	lm
493	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/1.8	126.000	lm
494	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/1.8	126.000	lm
495	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
496	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
497	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
498	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
499	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
500	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
501	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
502	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
503	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
504	65X20 KARRI STANDARD GRADE DECKING-160/2.1	336.000	lm
505	EUROPEAN ASH SELECT GRADE DAR IN VARIOUS WIDTHS X 25MM THICKNESS	323.140	lm
506	100X16 TAS OAK KD HARDWOOD FEATURE GRADE SKIP DRESSED SHORTS	504.400	lm
507	MIXED FARMERS PACK OF TAS OAK KD HARDWOOD SHORTS	615.700	lm
508	MIXED FARMERS PACK OF TAS OAK KD HARDWOOD SHORTS	943.100	lm
509	42X19 TAS OAK KD HARDWOOD S/BEVEL ARCHITRAVES SHORTS	1,365.200	lm
510	MIXED FARMERS PACK OF TAS OAK KD HARDWOOD SHORTS	992.000	lm
511	MIXED TAS OAK KD HARDWOOD FARMERS PACK	837.900	lm
512	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/1.8	126.000	lm
513	64X15 SPOTTED GUM FEATURE GRADE F/J SCREENING-120/2.7	324.000	lm
514	64X15 SPOTTED GUM FEATURE GRADE F/J SCREENING-120/2.7	324.000	lm
515	64X15 SPOTTED GUM FEATURE GRADE F/J SCREENING-120/2.7	324.000	lm
516	64X15 SPOTTED GUM FEATURE GRADE F/J SCREENING-120/2.7	324.000	lm
517	64X15 SPOTTED GUM FEATURE GRADE F/J SCREENING-120/2.7	324.000	lm
518	64X15 SPOTTED GUM FEATURE GRADE F/J SCREENING-120/2.7	324.000	lm
519	125X14 SPOTTED GUM FEATURE GRADE OVERLAY FLOORING	200.000	lm
520	85X14 WORMY CHESTNUT GUMVEIN GRADE OVERLAY FLOORING	710.000	lm
521	85X14 WORMY CHESTNUT GUM VEIN GRADE OVERLAY FLOORING	722.000	lm
522	85X14 WORMY CHESTNUT GUM VEIN GRADE OVERLAY FLOORING-(THIS PACK HAS FORKLIFT SCRAPE DAMAGE ON THE FRONT)	710.000	lm
523	85X14 WORMY CHESTNUT GUM VEIN GRADE OVERLAY FLOORING	710.000	lm
524	85X14 WORMY CHESTNUT GUM VEIN GRADE OVERLAY FLOORING	410.000	lm
525	85X14 AUSTRALIAN CHESTNUT FEATURE GRADE OVERLAY FLOORING-	729.000	lm
526	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	535.000	lm

527	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	537.000	lm
528	85X14 WORMY CHESTNUT GUMVEIN GRADE OVERLAY FLOORING	119.000	lm
529	85X14 WORMY CHESTNUT GUMVEIN GRADE OVERLAY FLOORING	84.000	lm
530	85X14 WORMY CHESTNUT GUMVEIN GRADE OVERLAY FLOORING	50.000	lm
531	85X14 WORMY CHESTNUT GUM VEIN GRADE OVERLAY FLOORING	153.000	lm
532	85X14 WORMY CHESTNUT GUM VEIN GRADE OVERLAY FLOORING-(THIS PACK HAS FORKLIFT SCRAPE DAMAGE ON THE FRONT)	710.000	lm
533	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	535.000	lm
534	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	535.000	lm
535	230X1520X6MM DUBLIN HYBRID FLOORING-(39 BOXES X 2.0976 M2)	81.800	m2
536	230X1520X6MM DUBLIN HYBRID FLOORING-(56 BOXES X 2.0976 M2)	117.460	m2
537	230X1520X6MM DUBLIN HYBRID FLOORING-(56 BOXES X 2.0976 M2)	117.460	m2
538	1620X225X5MM ENTIVA PRESTIGE OSSA HYBRID FLOORING- (45 BOXES X 2.187 M2)	98.410	m2
539	1620X225X5MM ENTIVA PRESTIGE OSSA HYBRID FLOORING- (45 BOXES X 2.187 M2)	98.410	m2
540	1620X225X5MM ENTIVA PRESTIGE OSSA HYBRID FLOORING- (45 BOXES X 2.187 M2)	98.410	m2
541	1620X225X5MM ENTIVA PRESTIGE OSSA HYBRID FLOORING- (42 BOXES X 2.187 M2)	91.850	m2
542	150X900X15/4MM THE HAMPTONS HERRINGBONE FLOORING- RRP $120 M2	57.000	m2
543	76X20M BUTYL FLASHING TAPE MASTERWALL BRANDED, BOX OF 8 ROLLS **CAN BE SOLD BY THE BOX**	74.000	ea
544	1219X238X8MM CLASSIC WHITE LAMINATE FLOORING-(34 BOXES X 2.61 M2)	88.740	m2
545	1219X238X8MM CLASSIC WHITE LAMINATE FLOORING-(52 BOXES X 2.61 M2)	135.720	m2
546	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
547	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
548	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
549	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
550	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
551	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
552	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
553	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
554	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
555	20KG BAGS OF ARDEX FG8 WHITE GROUT (BUYER MUST TAKE WHOLE PALLET)	41.000	ea
556	20KG BAGS OF ARDEX FG8 TRAVERTINE GROUT (BUYER MUST TAKE WHOLE PALLET)	24.000	ea
557	190X14/3MM NATURAL OAK ENGINEERED FLOORING-(3856)-48 BOXES X 2.888 M2	138.620	m2
558	190X14/3MM NATURAL OAK ENGINEERED FLOORING-(3856)-38 BOXES X 2.888 M2	109.740	m2
559	190X14/3MM NATURAL OAK ENGINEERED FLOORING-(3856)-48 BOXES X 2.888 M2	138.620	m2
560	260X2200X15/4MM STORM ENGINEERED FLOORING- RRP $140 M2	20.590	m2
561	100X16 TAS OAK SKIP DRESSED PRIME GRADE KD HARDWOOD SHORTS	511.400	lm
562	100X16 TAS OAK SKIP DRESSED PRIME GRADE KD HARDWOOD SHORTS	710.300	lm
563	100X16 TAS OAK SKIP DRESSED PRIME GRADE KD HARDWOOD SHORTS	706.200	lm
564	100X16 TAS OAK SKIP DRESSED PRIME GRADE KD HARDWOOD SHORTS	695.000	lm

565	100X16 TAS OAK SKIP DRESSED PRIME GRADE KD HARDWOOD SHORTS	648.300	lm
566	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	885.800	lm
567	130X19 BLACKBUTT COVER GRADE FLOORING	350.000	lm
568	80X19 BLUEGUM COVER GRADE FLOORING	500.000	lm
569	130X19 BLACKBUTT COVER GRADE FLOORING	124.000	lm
570	130X19 BLACKBUTT COVER GRADE FLOORING	220.000	lm
571	80X19 CHESTNUT COVER GRADE FLOORING	502.000	lm
572	130X19 BLACKBUTT COVER GRADE FLOORING	393.000	lm
573	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	486.000	lm
574	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	340.000	lm
575	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	487.000	lm
576	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	485.000	lm
577	70X45 FEATURE GRADE SPOTTED GUM	299.000	lm
578	70X45 FEATURE GRADE SPOTTED GUM	300.000	lm
579	110X12 AUS OAK UTE KD HARDWOOD SHIPLAP LINING	63.000	lm
580	42X42 TAS OAK DAR UTE KD HARDWOOD	702.000	lm
581	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
582	70X35 FEATURE GRADE SPOTTED GUM	413.000	lm
583	70X35 FEATURE GRADE SPOTTED GUM	289.000	lm
584	90X32 FEATURE GRADE QLD MIXED HARDWOOD	312.000	lm
585	90X32 FEATURE GRADE QLD MIXED HARDWOOD	318.000	lm
586	90X32 FEATURE GRADE QLD MIXED HARDWOOD	314.000	lm
587	90X32 FEATURE GRADE QLD MIXED HARDWOOD	270.000	lm
588	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
589	90X35 FEATURE GRADE SPOTTED GUM	322.000	lm
590	90X35 FEATURE GRADE SPOTTED GUM	306.000	lm
591	90X32 FEATURE GRADE QLD MIXED HARDWOOD	320.000	lm
592	90X32 FEATURE GRADE QLD MIXED HARDWOOD	315.000	lm
593	90X35 FEATURE GRADE SPOTTED GUM	250.000	lm
594	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
595	70X45 FEATURE GRADE SPOTTED GUM	296.000	lm
596	90X45 FEATURE GRADE SPOTTED GUM	255.000	lm
597	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	798.600	lm
598	90X35 FEATURE GRADE SPOTTED GUM	315.000	lm
599	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
600	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
601	80X19 SPOTTED GUM FEATURE GRADE FLOORING	482.000	lm
602	90X35 FEATURE GRADE SPOTTED GUM	320.000	lm
603	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	694.600	lm
604	80X19 FEATURE GRADE SPOTTED GUM FLOORING	487.000	lm
605	70X45 FEATURE GRADE SPOTTED GUM	294.000	lm
606	80X19 SPOTTED GUM FEATURE GRADE FLOORING	480.000	lm
607	80X19 SPOTTED GUM FEATURE GRADE FLOORING	482.000	lm
608	80X19 FEATURE GRADE SPOTTED GUM FLOORING	489.000	lm
609	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	728.100	lm
610	130X19 FEATURE GRADE SPOTTED GUM FLOORING	327.000	lm
611	80X19 SPOTTED GUM FEATURE GRADE FLOORING	486.000	lm
612	130X19 FEATURE GRADE SPOTTED GUM FLOORING	315.000	lm
613	80X19 SPOTTED GUM FEATURE GRADE FLOORING	487.000	lm
614	80X19 SPOTTED GUM FEATURE GRADE FLOORING	486.000	lm
615	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
616	80X19 SPOTTED GUM FEATURE GRADE FLOORING	485.000	lm
617	80X19 FEATURE GRADE SPOTTED GUM FLOORING	488.000	lm
618	80X19 SPOTTED GUM FEATURE GRADE FLOORING	486.000	lm
619	80X19 SPOTTED GUM FEATURE GRADE FLOORING	485.000	lm
620	80X19 FEATURE GRADE SPOTTED GUM FLOORING	489.000	lm
621	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	844.200	lm
622	80X19 FEATURE GRADE SPOTTED GUM FLOORING	486.000	lm

623	80X19 SPOTTED GUM FEATURE GRADE FLOORING	485.000	lm
624	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	485.000	lm
625	130X19 FEATURE GRADE SPOTTED GUM FLOORING	329.000	lm
626	120X19 SPOTTED GUM MERCH GRADE CLADDING	161.000	lm
627	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	485.000	lm
628	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	485.000	lm
629	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	487.000	lm
630	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	487.000	lm
631	80X19 FEATURE GRADE SPOTTED GUM FLOORING	488.000	lm
632	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	839.600	lm
633	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	488.000	lm
634	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	489.000	lm
635	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
636	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
637	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
638	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
639	130X19 FEATURE GRADE SPOTTED GUM FLOORING	329.000	lm
640	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
641	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
642	42X19 AUS OAK DAR UTE KD HARDWOOD	75.600	lm
643	65X19 ALL IN GRADE SILVERTOP DECKING	927.000	lm
644	65X19 ALL IN GRADE SILVERTOP DECKING	938.000	lm
645	65X19 ALL IN GRADE SILVERTOP DECKING	938.000	lm
646	65X19 ALL IN GRADE SILVERTOP DECKING	920.000	lm
647	65X19 ALL IN GRADE SILVERTOP DECKING	947.000	lm
648	65X19 ALL IN GRADE SILVERTOP DECKING	938.000	lm
649	65X19 ALL IN GRADE SILVERTOP DECKING	929.000	lm
650	70X35 FEATURE GRADE SPOTTED GUM	330.000	lm
651	70X35 FEATURE GRADE SPOTTED GUM	378.000	lm
652	80X19 KD HARDWOOD FEATURE FLOORING	180.000	lm
653	75X19 KD HARDWOOD FEATURE FLOORING	225.000	lm
654	65X19 ALL IN GRADE SILVERTOP DECKING	938.000	lm
655	130X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	326.000	lm
656	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	326.000	lm
657	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	340.000	lm
658	80X19 FEATURE GRADE QLD MIX HWD FLOORING	470.000	lm
659	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	868.700	lm
660	80X19 FEATURE GRADE SPOTTED GUM FLOORING	486.000	lm
661	80X19 FEATURE GRADE QLD MIX HWD FLOORING	477.000	lm
662	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	324.000	lm
663	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	322.000	lm
664	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
665	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
666	70X32 FEATURE GRADE QUEENSLAND MIXED HARDWOOD	350.000	lm
667	70X32 FEATURE GRADE QUEENSLAND MIXED HARDWOOD	357.000	lm
668	70X45 FEATURE GRADE SPOTTED GUM	330.000	lm
669	130X19 FEATURE GRADE SPOTTED GUM FLOORING	333.000	lm
670	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
671	80X19 SPOTTED GUM FEATURE GRADE FLOORING	485.000	lm
672	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
673	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
674	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
675	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
676	130X19 FEATURE GRADE SPOTTED GUM FLOORING	327.000	lm
677	80X19 QLD MIX HARDWOOD FEATURE GRADE FLOORING	488.000	lm
678	130X19 SPOTTED GUM FEATURE GRADE FLOORING	326.000	lm
679	130X19 FEATURE GRADE SPOTTED GUM FLOORING	329.000	lm
680	130X19 FEATURE GRADE SPOTTED GUM FLOORING	322.000	lm
681	130X19 SPOTTED GUM FEATURE GRADE FLOORING	330.000	lm

682	130X19 FEATURE GRADE SPOTTED GUM FLOORING	323.000	lm
683	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
684	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
685	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
686	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
687	70X32 FEATURE GRADE QUEENSLAND MIXED HARDWOOD	616.000	lm
688	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
689	80X19 SPOTTED GUM FEATURE GRADE FLOORING	481.000	lm
690	80X19 SPOTTED GUM FEATURE GRADE FLOORING	486.000	lm
691	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
692	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
693	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
694	70X32 FEATURE GRADE QUEENSLAND MIXED HARDWOOD	360.000	lm
695	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
696	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
697	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
698	80X19 QLD MIX HARDWOOD FEATURE GRADE FLOORING	485.000	ea
699	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
700	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
701	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
702	80X19 QLD MIX HWD FEATURE GRADE FLOORING	486.000	lm
703	80X19 QLD MIX HWD FEATURE GRADE FLOORING	485.000	lm
704	80X19 FEATURE GRADE QLD MIX HWD FLOORING	485.000	lm
705	80X19 FEATURE GRADE QLD MIX HWD FLOORING	490.000	lm
706	80X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	465.000	lm
707	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	326.000	lm
708	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	325.000	lm
709	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
710	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	328.000	lm
711	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	330.000	lm
712	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
713	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	325.000	lm
714	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	325.000	lm
715	80X19 FEATURE GRADE QLD MIX HWD FLOORING	462.000	lm
716	130X19 QLD MIX HWD FEATURE GRADE FLOORING	328.000	lm
717	80X19 FEATURE GRADE QLD MIX HWD FLOORING	487.000	lm
718	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	326.000	lm
719	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	485.000	lm
720	70X32 FEATURE GRADE QUEENSLAND MIXED HARDWOOD	343.000	lm
721	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	330.000	lm
722	80X19 FEATURE GRADE QLD MIX HWD FLOORING	485.000	lm
723	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	325.000	lm
724	80X19 FEATURE GRADE QLD MIX HWD FLOORING	485.000	lm
725	80X19 FEATURE GRADE QLD MIX HWD FLOORING	369.000	lm
726	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	327.000	lm
727	80X19 FEATURE GRADE QLD MIX HWD FLOORING	488.000	lm
728	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	325.000	lm
729	80X19 FEATURE GRADE QLD MIX HWD FLOORING	475.000	lm
730	80X19 QLD MIX HARDWOOD FEATURE GRADE FLOORING	488.000	ea
731	80X19 QLD MIX HARDWOOD FEATURE GRADE FLOORING	483.000	ea
732	80X19 FEATURE GRADE QLD MIX HWD FLOORING	485.000	lm
733	80X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	436.000	lm
734	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	640.000	lm
735	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	625.000	lm
736	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	297.000	lm
737	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	330.000	lm
738	130X19 QLD MIX HWD FEATURE GRADE FLOORING	326.000	lm

739	80X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	490.000	lm
740	80X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	291.000	lm
741	80X19 FEATURE GRADE QLD MIX HWD FLOORING	485.000	lm
742	130X19 QLD MIX HWD FEATURE GRADE FLOORING	327.000	lm
743	130X19 FEATURE GRADE QLD MIX HWD FLOORING	213.000	lm