FOWLES AUCTIONS & SALES PTY LTD
2099 PRINCES HIGHWAY CLAYTON VICTORIA 3168
TELEPHONE (03) 9265 5555 FAX (03) 9265 5501

Wednesday 25 November 2026
TIMBER AUCTION
COMMENCING AT: 10:00 AM
* = Seller Not Registered For GST

Please Note:

Measurements, descriptions and quantities given in this catalogue are not guaranteed to be correct. Goods are sold with faults (If any).

Lot	Description	Quantity	UOM
1	90X45 MGP10 PINE-111/4.2 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	466.200	lm
2	240X45 MGP10 PINE-16/4.2 5/4.8 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	91.200	lm
3	140X45 MERCH PINE-90/5.4 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	486.000	lm
4	290X45 MGP10 PINE-16/3.6 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	57.600	lm
5	90X45 MGP10 PINE-64/6.0 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	384.000	lm
6	190X45 VE3 MGP10 TREATED PINE-32/5.4 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	172.800	lm
7	190X45 VE3 MGP10 TREATED PINE-32/5.4 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	172.800	lm
8	190X45 VE3 MGP10 TREATED PINE-32/5.4 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	172.800	lm
9	190X45 VE3 MGP10 TREATED PINE-32/5.4 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	172.800	lm
10	190X45 VE3 MGP10 TREATED PINE-32/5.4 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	172.800	lm
11	190X45 VE3 MGP10 TREATED PINE-32/5.4 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	172.800	lm
12	90X45 VE3 MGP10 TREATED PINE-64/6.0 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	384.000	lm
13	290X45 VE3 MGP10 TREATED PINE-16/4.2 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	67.200	lm
14	70X35 VE3 MGP10 TREATED PINE-100/4.8 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	480.000	lm
15	90X90 TAN E TREATED PINE POSTS-32/1.5	48.000	lm
15.1	90X90 TAN E TREATED PINE POSTS-32/1.5	48.000	lm
15.2	90X90 TAN E TREATED PINE POSTS-32/1.5	48.000	lm
15.3	90X90 TAN E TREATED PINE POSTS-32/1.5	48.000	lm
15.4	90X90 TAN E TREATED PINE POSTS-32/1.5	48.000	lm
15.5	90X90 TAN E TREATED PINE POSTS-32/1.5	48.000	lm
15.6	90X90 TAN E TREATED PINE POSTS-32/1.5	48.000	lm
15.7	90X90 TAN E TREATED PINE POSTS-32/1.5	48.000	lm
16	90X90 TAN E TREATED PINE POSTS-32/1.5	48.000	lm
16.1	90X90 TAN E TREATED PINE POSTS-32/1.5	48.000	lm
16.2	90X90 TAN E TREATED PINE POSTS-32/1.5	48.000	lm
16.3	90X90 TAN E TREATED PINE POSTS-32/1.5	48.000	lm
16.4	90X90 TAN E TREATED PINE POSTS-32/1.5	48.000	lm
16.5	90X90 TAN E TREATED PINE POSTS-32/1.5	48.000	lm
16.6	90X90 TAN E TREATED PINE POSTS-32/1.5	48.000	lm
16.7	90X90 TAN E TREATED PINE POSTS-32/1.5	48.000	lm

17	90X90 TAN E TREATED PINE POSTS-32/0.9	28.800	lm
18	90X90 TAN E TREATED PINE POSTS-32/0.9	28.800	lm
19	90X90 TAN E TREATED PINE POSTS-32/0.9	28.800	lm
20	90X90 TAN E TREATED PINE POSTS-24/0.9	21.600	lm
21	90X90 TAN E TREATED PINE POSTS-32/0.9	28.800	lm
22	90X90 TAN E TREATED PINE POSTS-32/0.9	28.800	lm
23	100X1000 TAN E H4 SAWN TREATED PINE-18/2.4 (THIS PACK IS AGED STOCK AND SOLD AS IS)	43.200	lm
24	240X45 H3 F7 TREATED PINE-15/2.4 (THIS PACK IS AGED STOCK AND SOLD AS IS)	36.000	lm
25	90X35 F5 PINE-144/4.8 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	691.200	lm
26	140X35 H3 F7 TREATED PINE-43/3.6 (THIS PACK IS AGED STOCK AND SOLD AS IS)	154.800	lm
27	90X22 TAN E H3 TREATED PINE DECKING-144/4.2 (THIS PACK IS AGED STOCK AND SOLD AS IS)	604.800	lm
28	90X22 TAN E H3 TREATED PINE DECKING-143/4.2 (THIS PACK IS AGED STOCK AND SOLD AS IS)	600.600	lm
29	90X22 TAN E H3 TREATED PINE DECKING-143/4.2 (THIS PACK IS AGED STOCK AND SOLD AS IS)	600.600	lm
30	190X35 H3 MGP10 TREATED PINE-36/5.4 (THIS PACK IS AGED STOCK AND SOLD AS IS)	194.400	lm
31	240X45 H3 F7 TREATED PINE-21/2.4 (THIS PACK IS AGED STOCK AND SOLD AS IS)	50.400	lm
32	240X45 H3 F7 TREATED PINE-20/2.4 (THIS PACK IS AGED STOCK AND SOLD AS IS)	48.000	lm
33	137X23 WHEATFIELD/MOCHA BROWN EVERDECK COMPOSITE DECKING-30/5.4	162.000	lm
34	150X50 TAN E H3 TREATED PINE-35/6.0 (THIS PACK IS AGED STOCK AND SOLD AS IS)	210.000	lm
35	90X45 MGP10 PINE-112/4.8 (THIS PACK IS AGED STOCK AND SOLD AS IS)	537.600	lm
36	140X35 H3 MGP10 TREATED PINE-37/6.0 (THIS PACK IS AGED STOCK AND SOLD AS IS)	222.000	lm
37	190X35 H3 MGP10 TREATED PINE-36/6.0 (THIS PACK IS AGED STOCK AND SOLD AS IS)	216.000	lm
38	90X45 MGP10 PINE-112/4.8 (THIS PACK IS AGED STOCK AND SOLD AS IS)	537.600	lm
39	190X45 MERCH PINE-48/1.2 (THIS PACK IS AGED STOCK AND SOLD AS IS)	57.600	lm
40	90X35 MGP10 PINE-144/1.5 (THIS PACK IS AGED STOCK AND SOLD AS IS)	216.000	lm
41	120X45 MGP10 PINE-24/2.4 (THIS PACK IS AGED STOCK AND SOLD AS IS)	57.600	lm
42	90X45 F5 PINE-112/2.7	302.400	lm
43	90X45 F5 PINE-56/2.7	151.200	lm
44	90X35 MGP12 PINE-143/1.8 (THIS PACK IS AGED STOCK AND SOLD AS IS)	257.400	lm
45	90X35 MGP12 PINE-144/1.8 (THIS PACK IS AGED STOCK AND SOLD AS IS)	259.200	lm
46	70X22 TAN E H3 TREATED PINE DECKING-180/2.4	432.000	lm
47	70X22 TAN E H3 TREATED PINE DECKING-220/2.4	528.000	lm
48	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm
49	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
50	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
51	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
52	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm
53	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
54	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm

55	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
56	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm
57	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm
58	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm
59	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm
60	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm
61	70X22 TAN E H3 TREATED PINE DECKING-180/2.4	432.000	lm
62	70X22 TAN E H3 TREATED PINE DECKING-220/2.4	528.000	lm
63	70X22 TAN E H3 TREATED PINE DECKING-180/2.4	432.000	lm
64	70X22 TAN E H3 TREATED PINE DECKING-220/2.4	528.000	lm
65	90X22 TAN E H3 TREATED PINE DECKING 176/3.6	633.600	lm
66	90X22 TAN E H3 TREATED PINE DECKING 224/3.6	806.400	lm
67	90X22 TAN E H3 TREATED PINE DECKING 176/3.6	633.600	lm
68	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
69	90X22 TAN E H3 TREATED PINE DECKING 224/3.6	806.400	lm
70	90X22 TAN E H3 TREATED PINE DECKING 224/3.6	806.400	lm
71	90X22 TAN E H3 TREATED PINE DECKING 176/3.6	633.600	lm
72	90X22 TAN E H3 TREATED PINE DECKING 224/3.6	806.400	lm
73	90X22 TAN E H3 TREATED PINE DECKING 176/3.6	633.600	lm
74	90X22 H3 TAN E TREATED PINE DECKING-176/3.6	633.600	lm
75	90X22 TAN E H3 TREATED PINE DECKING-136/4.8	652.800	lm
76	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
77	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
78	90X22 TAN E H3 TREATED PINE DECKING-136/4.8	652.800	lm
79	90X22 TAN E H3 TREATED PINE DECKING-136/4.8	652.800	lm
80	90X22 TAN E H3 TREATED PINE DECKING-136/4.8	652.800	lm
81	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
82	90X22 TAN E H3 TREATED PINE DECKING-141/4.8	676.800	lm
83	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
84	90X22 H3 TAN E TREATED PINE DECKING-176/3.6	633.600	lm
85	90X22 TAN E H3 TREATED PINE DECKING-142/4.8	681.600	lm
86	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
87	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
88	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
89	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
90	90X22 TAN E H3 TREATED PINE DECKING-176/4.2	739.200	lm
91	90X22 TAN E H3 TREATED PINE DECKING 176/3.6	633.600	lm
92	90X22 TAN E H3 TREATED PINE DECKING-224/3.6	806.400	lm
93	90X22 TAN E H3 TREATED PINE DECKING-176/4.2	739.200	lm
94	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
95	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
96	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
97	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
98	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
99	90X22 TAN E H3 TREATED PINE DECKING-224/3.6	806.400	lm
100	90X22 TAN E H3 TREATED PINE DECKING-136/4.8	652.800	lm
101	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
102	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
103	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
104	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
105	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
106	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
107	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
108	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
109	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
110	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
111	ASST'D METAL STILLAGES	3.000	ea
111.1	90X35 MERCH PINE-112/5.4 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	604.800	lm

111.2	90X35 MERCH PINE-144/5.4 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	777.600	lm
111.3	90X45 F5 PINE-111/5.4	599.400	lm
111.4	90X45 F5 PINE-88/5.4	475.200	lm
111.5	90X45 F5 PINE-111/5.4	599.400	lm
111.6	90X45 F5 PINE-112/5.4	604.800	lm
112	90X45 F5 PINE-112/5.4	604.800	lm
113	90X45 F5 PINE-112/5.4	604.800	lm
114	90X45 F5 PINE-112/5.4	604.800	lm
115	90X45 F5 PINE-112/5.4	604.800	lm
116	90X45 F5 PINE-112/5.4	604.800	lm
117	90X45 F5 PINE-104/5.4	561.600	lm
118	90X45 F5 PINE-112/5.4	604.800	lm
119	90X45 F5 PINE-112/5.4	604.800	lm
120	90X45 F5 PINE-112/5.4	604.800	lm
121	90X45 F5 PINE-112/5.4	604.800	lm
122	90X45 F5 PINE-112/5.4	604.800	lm
123	90X45 F5 PINE-112/5.4	604.800	lm
124	90X45 F5 PINE-111/5.4	599.400	lm
125	TRTD PINE RHD 90X45 6.0M	672.000	lm
126	TRTD PINE RHD 90X45 6.0M	672.000	lm
127	TRTD PINE RHD 90X45 6.0M	672.000	lm
128	TRTD PINE RHD 90X45 5.4M	604.800	lm
129	TRTD PINE RHD 90X45 5.4M	604.800	lm
130	TRTD PINE RHD 90X45 6.0M	672.000	lm
131	TRTD PINE RHD 90X45 5.4M	604.800	lm
132	TRTD PINE RHD 90X45 5.4M	604.800	lm
133	TRTD PINE RHD 90X45 5.4M	604.800	lm
134	TRTD PINE RHD 90X45 5.4M	604.800	lm
135	TRTD PINE RHD 90X45 5.4M	604.800	lm
136	TRTD PINE RHD 90X45 5.4M	604.800	lm
137	TRTD PINE RHD 90X45 5.4M	604.800	lm
138	TRTD PINE RHD 90X45 5.4M	604.800	lm
139	TRTD PINE RHD 90X45 5.4M	594.000	lm
140	70X22 TAN E H3 TREATED PINE DECKING-180/3.0	540.000	lm
141	70X22 TAN E H3 TREATED PINE DECKING-130/4.2	546.000	lm
142	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
143	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
144	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
145	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
146	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
147	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
148	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
149	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
150	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
151	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
152	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
153	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
154	70X22 H3 TAN E TREATED PINE DECKING-180/4.8	864.000	lm
155	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
156	70X22 H3 TAN E TREATED PINE DECKING-220/3.6	792.000	lm
157	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
158	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
159	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
160	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
161	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
162	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm
163	70X22 TAN E H3 TREATED PINE DECKING-250/4.2	1,050.000	lm
164	70X22 TAN E H3 TREATED PINE DECKING-220/4.2	924.000	lm

165	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
166	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
167	70X22 TAN E H3 TREATED PINE DECKING-156/4.8	748.800	lm
168	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
169	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
170	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
171	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
172	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
173	70X22 TAN E H3 TREATED PINE DECKING-180/4.8	864.000	lm
174	90X22 TAN E H3 TREATED PINE DECKING-144/4.2 (THIS PACK IS AGED STOCK AND SOLD AS IS)	604.800	lm
175	90X22 TAN E H3 TREATED PINE DECKING-64/4.8 (THIS PACK IS AGED STOCK AND SOLD AS IS)	307.200	lm
176	70X22 TAN E H3 TREATED PINE DECKING-180/4.8 (THIS PACK IS AGED STOCK AND SOLD AS IS)	864.000	lm
177	70X22 TAN E H3 TREATED PINE DECKING-220/4.8 (THIS PACK IS AGED STOCK AND SOLD AS IS)	1,056.000	lm
178	70X22 TAN E H3 TREATED PINE DECKING-140/4.8 (THIS PACK IS AGED STOCK AND SOLD AS IS)	672.000	lm
179	90X22 TAN E H3 TREATED PINE DECKING-81/4.8 (THIS PACK IS AGED STOCK AND SOLD AS IS)	388.800	lm
180	90X22 TAN E H3 TREATED PINE DECKING-72/4.8 (THIS PACK IS AGED STOCK AND SOLD AS IS)	345.600	lm
181	90X22 TAN E H3 TREATED PINE DECKING-62/4.8 (THIS PACK IS AGED STOCK AND SOLD AS IS)	297.600	lm
182	90X22 TAN E H3 TREATED PINE DECKING-64/4.8 (THIS PACK IS AGED STOCK AND SOLD AS IS)	307.200	lm
183	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
183.1	90X45 BAL F5 PINE-112/4.8 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	537.600	lm
183.2	90X45 BAL F5 PINE-112/4.8 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	537.600	lm
184	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
185	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
186	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
187	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
188	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
189	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
190	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
191	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
192	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
193	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
194	190X45 PINE UTILITY EXPORT GRADE- 44/6.0	264.000	lm
195	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
196	190X45 PINE UTILITY EXPORT GRADE-44/6.0	264.000	lm
197	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
198	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
199	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
200	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
201	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
202	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
203	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
204	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
205	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
206	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
207	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
208	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
209	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
210	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm

211	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
212	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
213	190X45 UTILITY EXPORT GRADE PINE-44/6.0	264.000	lm
214	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
215	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
216	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
217	90X22 TAN E H3 TREATED PINE DECKING-184/4.8	883.200	lm
218	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
219	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
220	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
221	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
222	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
223	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
224	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
225	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
226	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
227	90X22 TAN E H3 TREATED PINE DECKING-176/4.8	844.800	lm
228	90X22 TAN E H3 TREATED PINE DECKING-224/3.6	806.400	lm
229	90X22 TAN E H3 TREATED PINE DECKING-224/3.6	806.400	lm
230	90X22 TAN E H3 TREATED PINE DECKING-224/3.6	806.400	lm
231	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
232	90X22 TAN E H3 TREATED PINE DECKING-224/3.6	806.400	lm
233	90X22 TAN E H3 TREATED PINE DECKING-224/3.6	806.400	lm
234	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
235	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
236	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
237	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
238	90X22 TAN E H3 TREATED PINE DECKING-224/3.6	806.400	lm
239	90X22 TAN E H3 TREATED PINE DECKING-224/3.6	806.400	lm
240	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
241	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
242	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
243	90X22 TAN E H3 TREATED PINE DECKING-176/3.6	633.600	lm
244	90X35 H2F NOGGINS-672/0.6	403.200	lm
245	90X35 H2F NOGGINS-657/0.6	394.200	lm
246	90X35 H2F NOGGINS-672/0.6	403.200	lm
247	90X35 H2F NOGGINS-672/0.6	403.200	lm
248	90X35 H2F NOGGINS-672/0.6	403.200	lm
249	90X35 H2F NOGGINS-400/0.6	240.000	lm
250	90X35 H2F NOGGINS-672/0.6	403.200	lm
251	90X35 H2F NOGGINS-672/0.6	403.200	lm
252	90X35 H2F NOGGINS-672/0.6	403.200	lm
253	90X35 H2F NOGGINS-672/0.6	403.200	lm
254	90X35 H2F NOGGINS-672/0.6	403.200	lm
255	90X35 H2F NOGGINS-672/0.6	403.200	lm
256	90X35 H2F NOGGINS-672/0.6	403.200	lm
257	90X35 H2F NOGGINS-672/0.6	403.200	lm
258	90X35 H2F NOGGINS-592/0.6	355.200	lm
259	90X35 H2F NOGGINS-672/0.6	403.200	lm
260	90X35 H2F NOGGINS-672/0.6	403.200	lm
261	90X35 H2F NOGGINS-672/0.6	403.200	lm
262	90X35 H2F NOGGINS-672/0.6	403.200	lm
263	90X35 H2F NOGGINS-480/0.6	288.000	lm
264	PACK OF OSB WEBB OFFCUTS	1.000	lm
265	PACK OF OSB WEBB OFFCUTS	1.000	lm
266	PACK OF OSB WEBB OFFCUTS	1.000	lm
267	PACK OF OSB WEBB OFFCUTS	1.000	lm
268	PACK OF OSB WEBB OFFCUTS	1.000	lm
269	PACK OF OSB WEBB OFFCUTS	1.000	lm

270	PACK OF OSB WEBB OFFCUTS	1.000	lm
271	PACK OF OSB WEBB OFFCUTS	1.000	lm
272	PACK OF OSB WEBB OFFCUTS	1.000	lm
273	PACK OF OSB WEBB OFFCUTS	1.000	lm
274	PACK OF OSB WEBB OFFCUTS	1.000	lm
275	PACK OF OSB WEBB OFFCUTS	1.000	lm
276	PACK OF OSB WEBB OFFCUTS	1.000	lm
277	90X35 MGP10 PINE-136/2.66 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	361.760	lm
278	90X45 MGP10 PINE-72/2.7 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	194.400	lm
279	70X45 MGP10 PINE-110/2.4 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	264.000	lm
280	140X35 MGP10 PINE-70/3.0 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	210.000	lm
281	90X35 MGP10 PINE-136/2.51 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	341.360	lm
282	190X45 MGP10 PINE-44/2.4 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	105.600	lm
283	90X35 MERCH PINE-144/2.7 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	388.800	lm
284	290X45 MGP10 PINE-28/1.8 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	50.400	lm
285	90X35 MGP10 PINE-144/1.5 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	216.000	lm
286	90X35 MGP10 PINE-144/1.8 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	259.200	lm
287	240X45 MGP10 PINE-39/1.2 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	46.800	lm
288	240X45 MGP10 PINE-36/1.2 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	43.200	lm
289	240X45 MGP10 PINE-36/1.2 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	43.200	lm
290	240X45 MGP10 PINE-36/1.2 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	43.200	lm
291	240X45 MGP10 PINE-36/1.2 (THIS PACK IS AGED STOCK AND MAY CONTAIN MOULD AND IS SOLD AS IS)	43.200	lm
307	120X19 MERBAU F/J CLADDING-75/5.7	427.500	lm
308	72X19 SILVERTOP UTILITY GRADE CLADDING	540.000	lm
309	72X19 SILVERTOP UTILITY GRADE CLADDING	550.000	lm
310	72X19 SILVERTOP UTILITY GRADE CLADDING	564.000	lm
311	72X19 SILVERTOP UTILITY GRADE CLADDING	423.000	lm
312	72X19 SILVERTOP UTILITY GRADE CLADDING	475.000	lm
313	72X19 SILVERTOP UTILITY GRADE CLADDING	495.000	lm
314	190X35 FEATURE GRADE SPOTTED GUM	153.000	lm
315	140X45 FEATURE GRADE KARRI	137.000	lm
316	240X45 FEATURE GRADE SPOTTED GUM	51.000	lm
317	240X45 FEATURE GRADE SPOTTED GUM	86.000	lm
318	240X45 FEATURE GRADE SPOTTED GUM	81.000	lm
319	290X45 FEATURE GRADE SPOTTED GUM	40.000	lm
320	290X45 FEATURE GRADE SPOTTED GUM	81.000	lm
321	290X45 FEATURE GRADE SPOTTED GUM	81.000	lm
322	190X35 FEATURE GRADE SPOTTED GUM	126.000	lm
323	190X35 FEATURE GRADE SPOTTED GUM	162.000	lm
324	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	lm
325	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	lm

326	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	lm
327	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	lm
328	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	lm
329	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	lm
330	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	329.000	lm
331	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	lm
332	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	326.000	lm
333	135X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
334	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	lm
335	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	lm
336	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
337	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	lm
338	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
339	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	326.000	lm
340	135X19 QLD MIXED HWD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
341	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
342	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING-(PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	lm
343	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	326.000	lm
344	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
345	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
346	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
347	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	322.000	lm
348	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
349	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
350	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
351	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
352	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	329.000	lm
353	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
354	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	lm

355	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
356	135X19 FEATURE GRADE QLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
357	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
358	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
359	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
360	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	lm
361	135X19 QLD MIXED HWD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	328.000	lm
362	135X19 FEATURE GRADEQLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
363	135X19 FEATURE GRADEQLD MIXED HARDWOOD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
364	135X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	325.000	lm
365	135X19 FEATURE GRADE QLD MIX HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
366	135X19 QLD MIXED HWD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	327.000	lm
367	135X19 QLD MIXED HARDWOOD FEATURE GRADE DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
368	135X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	330.000	lm
369	1620X225X5MM ENTIVA PRESTIGE OSSA HYBRID FLOORING- (45 BOXES X 2.187 M2)	98.410	m2
370	1620X225X5MM ENTIVA PRESTIGE OSSA HYBRID FLOORING- (45 BOXES X 2.187 M2)	98.410	m2
371	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	504.000	lm
372	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
373	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	504.000	lm
374	86X19 SILVERTOP DECKING SHORTS	588.000	lm
375	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
376	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
377	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
378	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
379	86X19 SILVERTOP DECKING SHORTS	546.000	lm
380	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
381	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
382	86X19 SILVERTOP DECKING SHORTS	530.000	lm
383	86X19 SILVERTOP DECKING SHORTS	546.000	lm
384	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
385	86X19 FEATURE GRADE SILVERTOP DECKING SHORTS	378.000	lm
386	102X51X14X1.50MM GUAGE METAL ROOFING C PURLINS-20 PIECES X 6.1M LONG	122.000	lm
387	102X51X14X1.50MM GUAGE METAL ROOFING C PURLINS-20 PIECES X 6.1M LONG	122.000	lm
388	102X51X14X1.50MM GUAGE METAL ROOFING C PURLINS-20 PIECES X 6.1M LONG	122.000	lm
389	102X51X14X1.50MM GUAGE METAL ROOFING C PURLINS-20 PIECES X 6.1M LONG	122.000	lm
390	102X51X14X1.50MM GUAGE METAL ROOFING C PURLINS-20 PIECES X 6.1M LONG	122.000	lm
391	ZINC CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 150 SHEETS X 6.0 LONG	900.000	lm

392	ZINC CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 150 SHEETS X 6.0 LONG	900.000	lm
393	ZINC CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 150 SHEETS X 6.0 LONG	900.000	lm
394	ZINC CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 150 SHEETS X 6.0 LONG	900.000	lm
395	MONUMENT CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
396	MONUMENT CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
397	MONUMENT CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
398	SLATE GREY TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
399	SLATE GREY TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 47 SHEETS X 6.0 LONG	282.000	lm
400	MONUMENT TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
401	MONUMENT TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
402	MONUMENT TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
403	MONUMENT TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
404	MONUMENT TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
405	MONUMENT TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
406	SLATE GREY CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 47 SHEETS X 6.0 LONG	282.000	lm
407	SLATE GREY CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
408	SLATE GREY CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
409	SLATE GREY CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
410	SLATE GREY CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 4.8 LONG	240.000	lm
411	SLATE GREY CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 4.8 LONG	240.000	lm
412	SLATE GREY CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 4.2 LONG	210.000	lm
413	SLATE GREY CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 4.2 LONG	210.000	lm
414	SLATE GREY TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
415	SLATE GREY TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 6.0 LONG	300.000	lm
416	SLATE GREY TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 21 SHEETS X 4.8 LONG	100.800	lm
417	SLATE GREY TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 4.8 LONG	240.000	lm
418	BASALT TRIMDEK METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 4.2 LONG	210.000	lm
419	BASALT CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 3.6 LONG	180.000	lm
420	BASALT CORRUGATED METAL ROOFING SHEETS (.042 BMT, 762MM COVER)- 50 SHEETS X 3.6 LONG	180.000	lm

421	86X19 FEATURE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	480.000	lm
422	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	625.000	lm
423	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	625.000	lm
424	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	627.000	lm
425	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	624.000	lm
426	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	623.000	lm
427	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	629.000	lm
428	85X20 KARRI STANDARD GRADE DECKING	606.000	lm
429	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	lm
430	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	630.000	lm
431	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	612.000	lm
432	86X19 FEATURE GRADE JARRAH DECKING	495.000	lm
433	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	612.000	lm
434	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	lm
435	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	lm
436	86X19 FEATURE SPOTTED GUM DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	lm
437	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	lm
438	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	456.000	lm
439	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	458.000	lm
440	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	lm
441	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	lm
442	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	lm
443	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	lm
444	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	lm
445	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	lm
446	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	lm
447	86X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	lm
448	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	lm
449	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	lm
450	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	lm

451	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	lm
452	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	lm
453	86X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	lm
454	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	lm
455	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	lm
456	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	487.000	lm
457	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	lm
458	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	lm
459	86X19 FEATURE GRADE QLD MIXED HWD DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	lm
460	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	488.000	lm
461	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	486.000	lm
462	86X19 FEATURE GRADE SPOTTED GUM DECKING- (PACK CONSISTS OF RANDOM SHORT LENGTHS)	485.000	lm
463	1900X190X14/3MM DARK SCHEME ENGINEERED FLOORING	17.320	m2
464	1900X190X14/3MM HOME MINK GREY ENGINEERED FLOORING	34.650	m2
465	2400X1200X12MM HARDWOOD PLYWOOD- (THICKNESS OF SHEETS MAY VARY)	80.000	ea
466	2400X1200X12MM HARDWOOD PLYWOOD- (THICKNESS OF SHEETS MAY VARY)	80.000	ea
467	2400X1200X10MM MULTIBOARD ILINE INTERNAL LINING BOARDS	64.000	ea
468	2400X1200X10MM MULTIBOARD ILINE INTERNAL LINING BOARDS	64.000	ea
469	3000X1100X15MM MULTIBOARD YELLOW SUBSTRATE STANDING SEAM CLADDING	43.000	ea
470	3000X1100X15MM MULTIBOARD YELLOW SUBSTRATE STANDING SEAM CLADDING	43.000	ea
471	3000X1100X15MM MULTIBOARD YELLOW SUBSTRATE STANDING SEAM CLADDING	43.000	ea
472	2400X1200X10MM MULTIBOARD INTERNAL LINING BOARD WITH REBATE EDGE	64.000	ea
473	2400X1200X10MM MULTIBOARD INTERNAL LINING BOARD WITH REBATE EDGE	64.000	ea
474	2400X1200X13MM MULTIBOARD INTERNAL LINING BOARD WITH REBATE EDGE	49.000	ea
475	2400X1200X13MM MULTIBOARD INTERNAL LINING BOARD WITH REBATE EDGE	49.000	ea
476	2400X1200X10MM MULTIBOARD INTERNAL LINING BOARD WITH REBATE EDGE	64.000	ea
477	2400X1200X10MM MULTIBOARD INTERNAL LINING BOARD WITH REBATE EDGE	64.000	ea
478	2400X1200X10MM MULTIBOARD INTERNAL LINING BOARD WITH REBATE EDGE	64.000	ea
479	2400X1200X10MM MULTIBOARD INTERNAL LINING BOARD WITH REBATE EDGE	64.000	ea
480	3000X1100X15MM MULTIBOARD YELLOW SUBSTRATE STANDING SEAM CLADDING	43.000	ea
481	3000X1100X15MM MULTIBOARD YELLOW SUBSTRATE STANDING SEAM CLADDING	43.000	ea

482	3000X1100X15MM MULTIBOARD YELLOW SUBSTRATE STANDING SEAM CLADDING	43.000	ea
483	39.5X19 AUS OAK F/J DAR UTE KD HARDWOOD	826.800	lm
484	185X32 GLACIAL OAK DAR UTE KD HARDWOOD	11.000	lm
485	140X34 GLACIAL OAK DAR UTE KD HARDWOOD	41.600	lm
486	140X44 AUS OAK DAR UTE KD HARDWOOD	78.000	lm
487	42X32 AUS OAK P/ROUND UTE KD HARDWOOD	243.000	lm
488	44X44 GLACIAL OAK F/J P/ROUND UTE KD HARDWOOD	288.000	lm
489	85X19 AUS OAK KD HARDWOOD BULLNOSE ARCHITRAVES	89.600	lm
490	140X44 AUS OAK DAR UTE KD HARDWOOD	15.300	lm
491	42X32 AUS OAK P/ROUND UTE KD HARDWOOD	140.400	lm
492	900X150X14/3MM NEERIM BRERA ENGINEERED FLOORING	32.400	m2
493	1900X190X14/3MM ASH GREY ENGINEERED FLOORING	31.760	m2
494	1830X189X20/6MM BROWN BLACK ENGINEERED FLOORING- (12 BOXES X 1.383 M2)	16.590	m2
495	190X20/6MM LIGHT SCHEME ENGINEERED FLOORING	21.660	m2
496	190X14/3MM MINK GREY ENGINEERED FLOORING	25.990	m2
497	190X14/3MM HAMPSHIRE DARK ENGINEERED FLOORING	43.320	m2
498	1216X197X8MM COLOUR 720 HYBRID FLOORING (PACK 26)	32.340	m2
499	150X14/3MM OAK ENGINEERED FLOORING- (PACK 25)	25.000	m2
500	120X15/4MM HASTINGS ENGINEERED FLOORING	28.000	m2
501	190X14/3MM MANHATTAN NEW YORK ENGINEERED FLOORING	8.664	m2
502	190X14/3MM CALLUNA ENGINEERED FLOORING	34.656	m2
503	220X20/6MM OTTER ENGINEERED FLOORING	38.720	m2
504	190X14/3MM LIGHT SCHEME ENGINEERED FLOORING	30.320	m2
505	190X14/3MM PARIS WET LAP ENGINEERED FLOORING	14.440	m2
506	960X320X15/4MM AMICUS BROWN FLOORING	55.305	m2
507	190X15/4MM AVOCA STREET ENGINEERED FLOORING	17.328	m2
508	1860X136X21MM BLACKBUTT ENGINEERED FLOORING	11.320	m2
509	190X14/3MM NATURAL COLOUR ENGINEERED FLOORING	34.650	m2
510	260X15/4MM PEPPERCORN ENGINEERED FLOORING	41.180	m2
511	190X14/3MM OAK PLANK ENGINEERED FLOORING	45.480	m2
512	190X20/6MM RAW ENGINEERED FLOORING	9.504	m2
513	190X14/3MM GRANVILLE GREY ENGINEERED FLOORING	34.656	m2
514	220X20/6MM RAW ENGINEERED FLOORING	34.800	m2
515	190X15/4MM CHESTNUT ENGINEERED FLOORING	69.312	m2
516	240X20/6MM PARIS VERVE OAK ENGINEERED FLOORING	60.192	m2
517	183X6.5MM ASH GREY VINYL FLOORING	15.370	m2
518	190X15/4MM A/TA ENGINEERED FLOORING	34.650	m2
519	190X14/4MM VERVE OAK ENGINEERED FLOORING	28.980	m2
520	189X20/6MM WASHED CHESTNUT ENGINEERED FLOORING- (45 BOXES X 1.383 M2 OVER 2 PALLETS)	62.230	m2
521	1830X158X10/3MM BROWN BLACK ENGINEERED FLOORING- (57 BOXES X 2.602 M2)	148.310	m2
522	190X20/6MM BROWN BLACK ENGINEERED FLOORING- (22 BOXES X 1.444 M2)	31.760	m2
523	2400X1200X13MM MULTIBOARD INTERNAL LINING BOARDS WITH REBATE EDGE	49.000	ea
524	2400X1200X13MM MULTIBOARD INTERNAL LINING BOARDS WITH REBATE EDGE	49.000	ea
525	1830X189X15/4MM MINK GREY ENGINEERED FLOORING- (27 BOXES X 2.075 M2)	56.020	m2
526	1830X189X20/6MM MINK GREY ENGINEERED FLOORING- (13 BOXES X 1.383 M2)	17.980	m2
527	2400X1200X13MM MULTIBOARD INTERNAL LINING BOARDS WITH REBATE EDGE	49.000	ea
528	2400X1200X13MM MULTIBOARD INTERNAL LINING BOARDS WITH REBATE EDGE	44.000	ea

529	2400X1200X13MM MULTIBOARD INTERNAL LINING BOARDS WITH REBATE EDGE	49.000	ea
530	2400X1200X13MM MULTIBOARD INTERNAL LINING BOARDS WITH REBATE EDGE	49.000	ea
531	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/1.8	126.000	lm
532	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/1.8	126.000	lm
533	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/1.8	126.000	lm
534	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/1.8	126.000	lm
535	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
536	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
537	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
538	65X20 KARRI STANDARD GRADE DECKING-160/1.8	288.000	lm
539	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/1.8	126.000	lm
540	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/1.8	126.000	lm
541	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
542	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
543	65X20 STANDARD GRADE SOLID KARRI DECKING-160/2.1	336.000	lm
544	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/1.8	126.000	lm
545	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
546	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
547	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
548	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
549	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
550	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/2.1	147.000	lm
551	65X20 KARRI STANDARD GRADE DECKING-160/2.1	336.000	lm
552	65X19 TAS OAK SINGLE BEVEL ARCHITRAVES SHORTS	888.400	lm
553	65X19 TAS OAK SINGLE BEVEL ARCHITRAVES SHORTS	940.100	lm
554	65X19 TAS OAK BULL NOSE ARCHITRAVES SHORTS	650.300	lm
555	65X19 TAS OAK SINGLE BEVEL ARCHITRAVES SHORTS	718.300	lm
556	65X19 TAS OAK BULL NOSE ARCHITRAVES SHORTS	1,011.400	lm
557	65X19 TAS OAK BULL NOSE ARCHITRAVES SHORTS	925.900	lm
558	65X19 TAS OAK BULL NOSE ARCHITRAVES SHORTS	970.400	lm
559	65X19 TAS OAK SINGLE BEVEL ARCHITRAVES SHORTS	894.600	lm
560	65X19 TAS OAK SINGLE BEVEL ARCHITRAVES SHORTS	933.400	lm
561	65X19 TAS OAK SINGLE BEVEL ARCHITRAVES SHORTS	960.200	lm
562	100X16 TAS OAK KD HARDWOOD FEATURE GRADE SKIP DRESSED SHORTS	504.400	lm
563	42X19 TAS OAK KD HARDWOOD SINGLE BEVEL ARCHITRAVE SHORTS RANDOM LENGTHS 0.9 - 2.0	1,577.500	lm
564	MIXED FARMERS PACK OF TAS OAK KD HARDWOOD SHORTS	943.100	lm
565	42X19 TAS OAK KD HARDWOOD S/BEVEL ARCHITRAVES SHORTS	1,365.200	lm
566	MIXED FARMERS PACK OF TAS OAK KD HARDWOOD SHORTS	992.000	lm
567	MIXED TAS OAK KD HARDWOOD FARMERS PACK	837.900	lm
568	65X20 JARRAH STANDARD GRADE F/J SCREENING-70/1.8	126.000	lm
569	64X15 SPOTTED GUM FEATURE GRADE F/J SCREENING-120/2.7	324.000	lm
570	64X15 SPOTTED GUM FEATURE GRADE F/J SCREENING-120/2.7	324.000	lm
571	64X15 SPOTTED GUM FEATURE GRADE F/J SCREENING-120/2.7	324.000	lm
572	64X15 SPOTTED GUM FEATURE GRADE F/J SCREENING-120/2.7	324.000	lm
573	64X15 SPOTTED GUM FEATURE GRADE F/J SCREENING-120/2.7	324.000	lm
574	64X15 SPOTTED GUM FEATURE GRADE F/J SCREENING-120/2.7	324.000	lm
575	125X14 SPOTTED GUM FEATURE GRADE OVERLAY FLOORING	200.000	lm
576	85X14 WORMY CHESTNUT GUMVEIN GRADE OVERLAY FLOORING	710.000	lm
577	85X14 WORMY CHESTNUT GUM VEIN GRADE OVERLAY FLOORING	722.000	lm
578	85X14 WORMY CHESTNUT GUM VEIN GRADE OVERLAY FLOORING-(THIS PACK HAS FORKLIFT SCRAPE DAMAGE ON THE FRONT)	710.000	lm
579	85X14 WORMY CHESTNUT GUM VEIN GRADE OVERLAY FLOORING	710.000	lm
580	85X14 WORMY CHESTNUT GUM VEIN GRADE OVERLAY FLOORING	410.000	lm
581	85X14 AUSTRALIAN CHESTNUT FEATURE GRADE OVERLAY FLOORING-	729.000	lm

582	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	535.000	lm
583	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	537.000	lm
584	85X14 WORMY CHESTNUT GUMVEIN GRADE OVERLAY FLOORING	119.000	lm
585	85X14 WORMY CHESTNUT GUMVEIN GRADE OVERLAY FLOORING	84.000	lm
586	85X14 WORMY CHESTNUT GUMVEIN GRADE OVERLAY FLOORING	50.000	lm
587	85X14 WORMY CHESTNUT GUM VEIN GRADE OVERLAY FLOORING	153.000	lm
588	85X14 WORMY CHESTNUT GUM VEIN GRADE OVERLAY FLOORING-(THIS PACK HAS FORKLIFT SCRAPE DAMAGE ON THE FRONT)	710.000	lm
589	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	535.000	lm
590	85X14 JARRAH FEATURE GRADE OVERLAY FLOORING	535.000	lm
591	260X15/4MM DARK OAK ENGINEERED FLOORING- (32 BOXES X 2.288 M2)	73.210	m2
592	230X1520X6MM DUBLIN HYBRID FLOORING-(39 BOXES X 2.0976 M2)	81.800	m2
593	230X1520X6MM DUBLIN HYBRID FLOORING-(56 BOXES X 2.0976 M2)	117.460	m2
594	230X1520X6MM DUBLIN HYBRID FLOORING-(56 BOXES X 2.0976 M2)	117.460	m2
595	1620X225X5MM ENTIVA PRESTIGE OSSA HYBRID FLOORING- (45 BOXES X 2.187 M2)	98.410	m2
596	1620X225X5MM ENTIVA PRESTIGE OSSA HYBRID FLOORING- (42 BOXES X 2.187 M2)	91.850	m2
597	150X900X15/4MM THE HAMPTONS HERRINGBONE FLOORING- RRP $120 M2	57.000	m2
598	76X20M BUTYL FLASHING TAPE MASTERWALL BRANDED, BOX OF 8 ROLLS **CAN BE SOLD BY THE BOX**	70.000	ea
599	1219X238X8MM CLASSIC WHITE LAMINATE FLOORING-(34 BOXES X 2.61 M2)	88.740	m2
600	1219X238X8MM CLASSIC WHITE LAMINATE FLOORING-(52 BOXES X 2.61 M2)	135.720	m2
601	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
602	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
603	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
604	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
605	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
606	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
607	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
608	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
609	86X19 ALL IN GRADE SILVERTOP SCREENING- 90/0.9	81.000	lm
610	190X14/3MM NATURAL OAK ENGINEERED FLOORING-(3856)-48 BOXES X 2.888 M2	138.620	m2
611	190X14/3MM NATURAL OAK ENGINEERED FLOORING-(3856)-38 BOXES X 2.888 M2	109.740	m2
612	190X14/3MM NATURAL OAK ENGINEERED FLOORING-(3856)-48 BOXES X 2.888 M2	138.620	m2
613	260X2200X15/4MM STORM ENGINEERED FLOORING- RRP $140 M2	20.590	m2
614	100X16 TAS OAK SKIP DRESSED PRIME GRADE KD HARDWOOD SHORTS	511.400	lm
615	100X16 TAS OAK SKIP DRESSED PRIME GRADE KD HARDWOOD SHORTS	710.300	lm
616	100X16 TAS OAK SKIP DRESSED PRIME GRADE KD HARDWOOD SHORTS	706.200	lm
617	100X16 TAS OAK SKIP DRESSED PRIME GRADE KD HARDWOOD SHORTS	695.000	lm
618	100X16 TAS OAK SKIP DRESSED PRIME GRADE KD HARDWOOD SHORTS	648.300	lm
619	130X19 BLACKBUTT COVER GRADE FLOORING	124.000	lm
620	130X19 BLACKBUTT COVER GRADE FLOORING	220.000	lm
621	80X19 BLUEGUM COVER GRADE FLOORING	500.000	lm

622	80X19 BLUEGUM COVER GRADE FLOORING	500.000	lm
623	80X19 BLUEGUM COVER GRADE FLOORING	508.000	lm
624	130X19 QLD SPOTTED GUM COVER GRADE FLOORING	411.000	lm
625	80X19 CHESTNUT COVER GRADE FLOORING	396.000	lm
626	80X19 CHESTNUT COVER GRADE FLOORING	116.000	lm
627	130X19 BRUSHBOX COVER GRADE FLOORING	350.000	lm
628	118X21 BLUE GUM COVER GRADE SHIPLAP CLADDING	350.000	lm
629	80X19 BLUE GUM COVER GRADE FLOORING	500.000	lm
630	130X19 TALLOWWOOD COVER GRADE FLOORING	350.000	lm
631	80X19 BLUE GUM COVER GRADE FLOORING	500.000	lm
632	80X19 BLACKBUTT COVER GRADE FLOORING	553.000	lm
633	130X19 BRUSHBOX COVER GRADE FLOORING	350.000	lm
634	130X19 TALLOWWOOD COVER GRADE FLOORING	656.000	lm
635	80X19 BLUE GUM COVER GRADE FLOORING	504.000	lm
636	80X19 BLUE GUM COVER GRADE FLOORING	500.000	lm
637	130X19 BLACKBUTT COVER GRADE FLOORING	357.000	lm
638	130X19 TALLOWWOOD COVER GRADE FLOORING	350.000	lm
639	80X19 BRUSH BOX COVER GRADE FLOORING	500.000	lm
640	80X19 BLUE GUM COVER GRADE FLOORING	500.000	lm
641	130X19 TURPENTINE COVER GRADE FLOORING	350.000	lm
642	80X19 BLUE GUM COVER GRADE FLOORING	500.000	lm
643	130X19 TALLOWWOOD COVER GRADE FLOORING	354.000	lm
644	100X50 SOUTHERN ASH STANDARD BETTER GRADE SKIP DRESSED KD HARDWOOD	230.000	lm
645	100X50 SOUTHERN ASH STANDARD BETTER GRADE SKIP DRESSED KD HARDWOOD	255.000	lm
646	100X25 SKIP DRESSED SELECT GRADE SOUTHERN ASH KD HARDWOOD	495.000	lm
647	32X32 TAS OAK DAR UTE KD HARDWOOD RANDOM LENGTHS 0.9-5.4	3,363.700	lm
648	100X50 SOUTHERN ASH STANDARD BETTER GRADE SKIP DRESSED KD HARDWOOD	255.000	lm
649	200X38 SKIP DRESSED STANDARD BETTER GRADE SOUTHERN ASH KD HARDWOOD	173.000	lm
650	100X50 SOUTHERN ASH STANDARD BETTER GRADE SKIP DRESSED KD HARDWOOD	297.000	lm
651	100X38 SKIP DRESSED WORMY CHESTNUT	357.000	lm
652	100X38 SOUTHERN ASH SKIP DRESSED FEATURE GRADE KD HARDWOOD	371.000	lm
653	100X50 SOUTHERN ASH STANDARD BETTER GRADE SKIP DRESSED KD HARDWOOD	237.000	lm
654	100X38 SKIP DRESSED WORMY CHESTNUT	355.000	lm
655	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
656	85X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	600.000	lm
657	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
658	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
659	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
660	120X19 SPOTTED GUM MERCH GRADE CLADDING	161.000	lm
661	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
662	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
663	85X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	335.000	lm
664	85X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	600.000	lm
665	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	403.000	lm
666	130X14 BRUSHBOX COVER GRADE OVERLAY FLOORING	350.000	lm
667	130X14 THERMALLY ENHANCED SPOTTED GUM COVER GRADE OVERLAY FLOORING	350.000	lm
668	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
669	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	362.000	lm
670	130X14 GREY IRONBARK COVER GRADE OVERLAY FLOORING	350.000	lm

671	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	600.000	lm
672	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	339.000	lm
673	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
674	130X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	232.000	lm
675	130X14 GREY IRONBARK COVER GRADE OVERLAY FLOORING	350.000	lm
676	85X14 SILVERTOP STRINGYBARK COVER GRADE OVERLAY FLOORING	600.000	lm
677	130X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	348.000	lm
678	130X14 THERMALLY ENHANCED BLUEGUM COVER GRADE OVERLAY FLOORING	350.000	lm
679	130X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	297.000	lm
680	180X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	234.000	lm
681	85X14 BLUE GUM COVER GRADE OVERLAY FLOORING	455.000	lm
682	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	422.000	lm
683	130X14 BLUE GUM COVER GRADE OVERLAY FLOORING	350.000	lm
684	130X14 QLD SPOTTED GUM COVER GRADE OVERLAY FLOORING	296.000	lm
685	85X14 NEW ENGLAND BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
686	80X19 BLUEGUM COVER GRADE FLOORING	184.000	lm
687	85X14 SILVERTOP STRINGYBARK COVER GRADE OVERLAY FLOORING	325.000	lm
688	85X14 NEW ENGLAND BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
689	130X14 GREY IRONBARK COVER GRADE OVERLAY FLOORING	269.000	lm
690	130X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	350.000	lm
691	130X14 BRUSHBOX COVER GRADE OVERLAY FLOORING	350.000	lm
692	85X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	600.000	lm
693	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	600.000	lm
694	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	600.000	lm
695	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	227.000	lm
696	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	548.000	lm
697	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	267.000	lm
698	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	600.000	lm
699	140X19 TAS OAK SELECT GRADE SHIPLAP LINING BOARDS	93.000	lm
700	100X25 PINE DAR SHORTS	192.000	lm
701	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	600.000	lm
702	85X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	600.000	lm
703	85X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	600.000	lm
704	85X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	361.000	lm
705	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	600.000	lm
706	85X14 TALLOWWOOD COVER GRADE OVERLAY FLOORING	600.000	lm
707	130X14 BRUSHBOX COVER GRADE OVERLAY FLOORING	350.000	lm
708	130X14 THERMALLY ENHANCED BLUE GUM COVER GRADE OVERLAY FLOORING	382.000	lm
709	85X14 BLACKBUTT COVER GRADE OVERLAY FLOORING	68.000	lm
710	85X14 SILVERTOP STRINGYBARK COVER GRADE OVERLAY FLOORING	600.000	lm
711	85X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	600.000	lm
712	85X14 BLUE GUM COVER GRADE OVERLAY FLOORING	600.000	lm
713	85X14 BLUE GUM COVER GRADE OVERLAY FLOORING	600.000	lm
714	130X14 GREY IRONBARK COVER GRADE OVERLAY FLOORING	264.000	lm
715	130X14 RED IRONBARK COVER GRADE OVERLAY FLOORING	366.000	lm
716	80X14 IRONBARK UTILITY GRADE FLOORING	122.100	lm
717	130X14 SPOTTED GUM COVER GRADE OVERLAY FLOORING	350.000	lm
718	130X14 RED IRONBARK COVER GRADE OVERLAY FLOORING	304.000	lm
719	130X14 GREY IRONBARK COVER GRADE OVERLAY FLOORING	350.000	lm
720	130X19 GREY GUM COVER GRADE FLOORING	277.000	lm
721	80X19 BRUSH BOX COVER GRADE FLOORING	500.000	lm
722	80X19 BRUSH BOX COVER GRADE FLOORING	500.000	lm

723	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORUING	230.000	lm
724	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORUING	208.000	lm
725	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORUING	200.000	lm
726	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORUING	230.000	lm
727	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORUING	230.000	lm
728	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORUING	210.000	lm
729	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
730	80X19 CHESTNUT COVER GRADE FLOORING	502.000	lm
731	130X19 BLACKBUTT COVER GRADE FLOORING	393.000	lm
732	130X19 BLACKBUTT COVER GRADE FLOORING	350.000	lm
733	80X19 BLUEGUM COVER GRADE FLOORING	500.000	lm
734	130X19 FEATURE GRADE SPOTTED GUM FLOORING	320.000	lm
735	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
736	80X19 SPOTTED GUM FEATURE GRADE FLOORING	480.000	lm
737	80X19 SPOTTED GUM FEATURE GRADE FLOORING	482.000	lm
738	130X19 FEATURE GRADE SPOTTED GUM FLOORING	327.000	lm
739	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
740	130X19 FEATURE GRADE SPOTTED GUM FLOORING	315.000	lm
741	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
742	80X19 SPOTTED GUM FEATURE GRADE FLOORING	485.000	lm
743	80X19 SPOTTED GUM FEATURE GRADE FLOORING	485.000	lm
744	80X19 FEATURE GRADE SPOTTED GUM FLOORING	489.000	lm
745	80X19 SPOTTED GUM FEATURE GRADE FLOORING	486.000	lm
746	70X45 FEATURE GRADE SPOTTED GUM	294.000	lm
747	90X35 FEATURE GRADE SPOTTED GUM	320.000	lm
748	42X42 TAS OAK DAR UTE KD HARDWOOD	702.000	lm
749	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	486.000	lm
750	80X19 SPOTTED GUM FEATURE GRADE FLOORING	486.000	lm
751	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	487.000	lm
752	70X45 FEATURE GRADE SPOTTED GUM	299.000	lm
753	70X45 FEATURE GRADE SPOTTED GUM	300.000	lm
754	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	340.000	lm
755	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
756	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	485.000	lm
757	90X32 FEATURE GRADE QLD MIXED HARDWOOD	318.000	lm
758	90X32 FEATURE GRADE QLD MIXED HARDWOOD	312.000	lm
759	90X32 FEATURE GRADE QLD MIXED HARDWOOD	314.000	lm
760	90X32 FEATURE GRADE QLD MIXED HARDWOOD	270.000	lm
761	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	798.600	lm
762	90X32 FEATURE GRADE QLD MIXED HARDWOOD	315.000	lm
763	90X35 FEATURE GRADE SPOTTED GUM	322.000	lm
764	90X35 FEATURE GRADE SPOTTED GUM	306.000	lm
765	90X35 FEATURE GRADE SPOTTED GUM	250.000	lm
766	90X32 FEATURE GRADE QLD MIXED HARDWOOD	320.000	lm
767	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	694.600	lm
768	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	885.800	lm
769	70X35 FEATURE GRADE SPOTTED GUM	413.000	lm
770	70X35 FEATURE GRADE SPOTTED GUM	289.000	lm
771	90X35 FEATURE GRADE SPOTTED GUM	315.000	lm
772	70X45 FEATURE GRADE SPOTTED GUM	296.000	lm
773	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	728.100	lm
774	80X19 SPOTTED GUM FEATURE GRADE FLOORING	482.000	lm
775	80X19 FEATURE GRADE SPOTTED GUM FLOORING	486.000	lm
776	80X19 SPOTTED GUM FEATURE GRADE FLOORING	485.000	lm
777	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	485.000	lm
778	130X19 FEATURE GRADE SPOTTED GUM FLOORING	329.000	lm
779	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	844.200	lm
780	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	485.000	lm
781	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	485.000	lm

782	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	487.000	lm
783	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	487.000	lm
784	80X19 FEATURE GRADE SPOTTED GUM FLOORING	488.000	lm
785	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	839.600	lm
786	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	488.000	lm
787	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	489.000	lm
788	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
789	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
790	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
791	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
792	130X19 FEATURE GRADE SPOTTED GUM FLOORING	329.000	lm
793	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
794	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
795	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORUING	295.000	lm
796	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORUING	225.000	lm
797	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORUING	208.000	lm
798	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORUING	230.000	lm
799	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORUING	230.000	lm
800	125X14 FEATURE GRADE SPOTTED GUM OVERLAY FLOORUING	221.000	lm
801	65X20 KARRI STANDARD GRADE DECKING-(1.8 TO 5.1)	867.300	lm
802	65X20 STANDARD GRADE KARRI DECKING	809.700	lm
803	85X20 JARRAH F/J STANDARD BETTER GRADE DECKING-120/5.4 (THIS PACK IS SLIGHTLY WEATHERED IN PARTS)	648.000	lm
804	65X20 KARRI STANDARD GRADE DECKING- 9/5.4 3/5.1 3/4.8 1/4.5 55/3.3 27/3.0 55/2.7 47/2.4 66/2.1 35/1.8	808.200	lm
805	86X19 FEATURE GRADE JARRAH DECKING	628.000	lm
806	85X20 KARRI STANDARD GRADE DECKING	616.000	lm
807	65X20 KARRI STANDARD GRADE DECKING-(LENGTHS FROM 1.8 TO 5.4)	833.700	lm
808	65X20 KARRI STANDARD GRADE DECKING-(1.8 TO 5.1)	774.000	lm
809	65X20 KARRI STANDARD GRADE DECKING-(1.8 TO 5.1)	762.900	lm
810	65X20 STANDARD GRADE KARRI DECKING	776.400	lm
811	65X19 ALL IN GRADE SILVERTOP DECKING	754.000	lm
812	65X19 ALL IN GRADE SILVERTOP DECKING	726.000	lm
813	65X19 ALL IN GRADE SILVERTOP DECKING	717.000	lm
814	65X19 ALL IN GRADE SILVERTOP DECKING	927.000	lm
815	65X19 ALL IN GRADE SILVERTOP DECKING	938.000	lm
816	65X19 ALL IN GRADE SILVERTOP DECKING	947.000	lm
817	65X19 ALL IN GRADE SILVERTOP DECKING	929.000	lm
818	65X19 ALL IN GRADE SILVERTOP DECKING	938.000	lm
819	100X16 TAS OAK FEATURE GRADE SKIP DRESSED KD HARDWOOD	868.700	lm
820	65X19 ALL IN GRADE SILVERTOP DECKING	938.000	lm
821	65X19 ALL IN GRADE SILVERTOP DECKING	920.000	lm
822	65X19 ALL IN GRADE SILVERTOP DECKING	938.000	lm
823	42X19 AUS OAK DAR UTE KD HARDWOOD	75.600	lm
824	80X19 KD HARDWOOD FEATURE FLOORING	180.000	lm
825	75X19 KD HARDWOOD FEATURE FLOORING	225.000	lm
826	70X35 FEATURE GRADE SPOTTED GUM	330.000	lm
827	70X35 FEATURE GRADE SPOTTED GUM	378.000	lm
828	70X32 FEATURE GRADE QUEENSLAND MIXED HARDWOOD	357.000	lm
829	70X45 FEATURE GRADE SPOTTED GUM	330.000	lm
830	70X32 FEATURE GRADE QUEENSLAND MIXED HARDWOOD	360.000	lm
831	70X32 FEATURE GRADE QUEENSLAND MIXED HARDWOOD	350.000	lm
832	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	625.000	lm
833	130X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	326.000	lm
834	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	326.000	lm
835	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	340.000	lm
836	80X19 FEATURE GRADE QLD MIX HWD FLOORING	470.000	lm

837	70X32 FEATURE GRADE QUEENSLAND MIXED HARDWOOD	343.000	lm
838	70X32 FEATURE GRADE QUEENSLAND MIXED HARDWOOD	616.000	lm
839	64X19 FEATURE GRADE QLD MIX HWD DECKING (PACK CONSISTS OF RANDOM SHORT LENGTHS)	640.000	lm
840	130X19 FEATURE GRADE SPOTTED GUM FLOORING	333.000	lm
841	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
842	80X19 FEATURE GRADE QLD MIX HWD FLOORING	477.000	lm
843	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	324.000	lm
844	80X19 SPOTTED GUM FEATURE GRADE FLOORING	485.000	lm
845	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
846	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
847	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
848	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
849	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
850	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	322.000	lm
851	80X19 QLD MIX HARDWOOD FEATURE GRADE FLOORING	488.000	lm
852	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
853	130X19 FEATURE GRADE SPOTTED GUM FLOORING	327.000	lm
854	130X19 FEATURE GRADE SPOTTED GUM FLOORING	322.000	lm
855	130X19 SPOTTED GUM FEATURE GRADE FLOORING	330.000	lm
856	130X19 FEATURE GRADE SPOTTED GUM FLOORING	323.000	lm
857	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
858	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
859	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
860	80X19 SPOTTED GUM FEATURE GRADE FLOORING	486.000	lm
861	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
862	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
863	130X19 SPOTTED GUM FEATURE GRADE FLOORING	326.000	lm
864	130X19 FEATURE GRADE SPOTTED GUM FLOORING	329.000	lm
865	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
866	80X19 SPOTTED GUM FEATURE GRADE FLOORING	481.000	lm
867	130X19 FEATURE GRADE SPOTTED GUM FLOORING	326.000	lm
868	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
869	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
870	130X19 FEATURE GRADE SPOTTED GUM FLOORING	330.000	lm
871	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
872	130X19 FEATURE GRADE SPOTTED GUM FLOORING	328.000	lm
873	80X19 QLD MIX HWD FEATURE GRADE FLOORING	486.000	lm
874	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
875	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
876	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	325.000	lm
877	80X19 QLD MIX HWD FEATURE GRADE FLOORING	485.000	lm
878	80X19 FEATURE GRADE QLD MIX HWD FLOORING	485.000	lm
879	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	326.000	lm
880	80X19 QLD MIX HARDWOOD FEATURE GRADE FLOORING	485.000	ea
881	80X19 FEATURE GRADE QLD MIX HWD FLOORING	490.000	lm
882	80X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	465.000	lm
883	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	330.000	lm
884	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
885	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	325.000	lm
886	130X19 FEATURE GRADE SPOTTED GUM FLOORING	325.000	lm
887	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	328.000	lm
888	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	325.000	lm
889	80X19 FEATURE GRADE QLD MIX HWD FLOORING	462.000	lm
890	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	330.000	lm
891	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	326.000	lm
892	80X19 FEATURE GRADE QLD MIXED HARDWOOD FLOORING	485.000	lm
893	130X19 QLD MIX HWD FEATURE GRADE FLOORING	328.000	lm
894	80X19 FEATURE GRADE QLD MIX HWD FLOORING	487.000	lm

895	80X19 FEATURE GRADE QLD MIX HWD FLOORING	485.000	lm
896	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	325.000	lm
897	80X19 FEATURE GRADE QLD MIX HWD FLOORING	485.000	lm
898	80X19 FEATURE GRADE QLD MIX HWD FLOORING	369.000	lm
899	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	327.000	lm
900	80X19 FEATURE GRADE QLD MIX HWD FLOORING	488.000	lm
901	130X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	325.000	lm
902	80X19 QLD MIX HARDWOOD FEATURE GRADE FLOORING	488.000	ea
903	80X19 QLD MIX HARDWOOD FEATURE GRADE FLOORING	483.000	ea
904	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	297.000	lm
905	130X19 QLD MIXED HWD FEATURE GRADE FLOORING	330.000	lm
906	80X19 FEATURE GRADE QLD MIX HWD FLOORING	475.000	lm
907	80X19 FEATURE GRADE QLD MIX HWD FLOORING	485.000	lm
908	80X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	436.000	lm
909	130X19 QLD MIX HWD FEATURE GRADE FLOORING	326.000	lm
910	80X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	490.000	lm
911	80X19 QLD MIXED HARDWOOD FEATURE GRADE FLOORING	291.000	lm
912	80X19 FEATURE GRADE QLD MIX HWD FLOORING	485.000	lm
913	130X19 QLD MIX HWD FEATURE GRADE FLOORING	327.000	lm